#### **Clinical Pearls**

- Routinely ask about cannabis use in primary care (just like tobacco/alcohol), & monitor for cannabis use disorder (up to 1 in 5 may develop with ongoing use).<sup>76,77</sup>
- After failure of ≥3 other medications, a trial of prescription cannabinoids (rather than cannabis) may be reasonable for treating neuropathic pain.²
- Approach cannabinoids with similar caution as opioids see box below.
- Start cannabinoids at a low dose, and gradually titrate. A few clinical trials suggest some efficacy even at very low doses.<sup>21,22</sup> Adverse effects are common; monitor & document; stop or taper if not tolerated.
- Inhaled cannabis (esp. smoked) is <u>not</u> a preferred route due to difficulty dosing, risk of respiratory damage, and multi-component composition.
- Cannabis is not recorded on PIP in Saskatchewan (Rx-cannabinoids are).
- The potential harms of cannabinoids are often underappreciated by patients Informed consent and patient education are recommended. See the RxFiles Cannabis Patient Booklet (<u>available online: colour</u>, or <u>B/W ■</u>, or <u>print copy</u>).

# **Definitions and Background Information**

Cannabinoid receptors: <u>CB1</u> receptors (primarily in the central and peripheral nervous systems) and <u>CB2</u> receptors (primarily in the immune system) are part of the endocannabinoid system in humans.<sup>1</sup>

**Cannabinoids**: compounds that activate cannabinoid receptors. Endogenous cannabinoids in humans include AEA & 2-AG. Two studied, although still not well understood, cannabinoids are delta-9-tetrahydrocannabinoi (**THC**) and cannabidiol (**CBD**).

Cannabis (aka marijuana): Contains 400+ compounds, including 140+ cannabinoids. Marketed based on concentration of THC & CBD, though it is uncertain if these are the only important compounds in cannabis (e.g. Potential "entourage effect": see Misc. info below).

Prevalence (2021): 25% of Canadians ≥16 yrs used cannabis in last 12mos, 19% used daily, & 3% have HCP auth for medical use. 85 Challenges with the evidence: limited & small RCTs, of short duration, studying differing routes, forms & types of cannabinoids results in low confidence in assessing benefits & harms. Trials with longer duration tend to show less benefit, 11 implying that if an effect exists, it may wear off over time. Further, few cannabinoid trials are adequately blinded due to the psychotropic effects of cannabinoids (~90% of patients can guess their allocation), 11 which is thought to bias results toward benefit. 17

Legal status in Canada: Rx cannabinoids are Schedule II in Controlled Drug & Substances Act. Dried cannabis & oils are legal from licensed producers with HCP authorization ("cannabis for medical purposes"), or from a cannabis retail store. Some edibles (<10mg THC)/topicals are legal.

### Do Cannabinoids Work (For Medical Purposes)?

Cannabinoids may (limited, low quality evidence for benefit, compared to placebo):

- ↓ chronic neuropathic pain NNT=11 for ≥30% reduction over ~4 wks.<sup>2,15</sup>
   {Balance of evidence for ?↓pain, but some ↑harms → shared decision making} <sup>78,79</sup>
- ◆ chemotherapy-induced nausea & vomiting NNT=3 for control of nausea/vomiting over ~1 day.²
- • ✓ spasticity of multiple sclerosis or spinal cord injury

   • NNT=10 for ≥30% ✓ spasticity over ~6 wks.<sup>68</sup>
- • V seizures in Lennox-Gastaut & Dravet syndrome with <u>CBD</u>

   • NNT=4-7 for ≥50% reduction in seizure frequency over ~14 wks.²
- ✓ cachexia in HIV/AIDS, cancer, palliative care: weak evidence. <u>Clinical practice guideline</u> (for chronic pain): BMJ '21 If standard care not sufficient, trial non-inhaled medical cannabinoids. Potential benefits: small/very small improvement in pain relief, physical function, & sleep quality with the risk of AE. mod-high certainty evidence

#### Are Cannabinoids Safe?

Adverse effects (AE) are very common with cannabinoids. Approximately 8-9 patients out of 10 will develop an adverse effect to cannabinoid therapy and ~1 patient in 10 will stop therapy because of an adverse effect.² Notable AEs include feeling "high" NNH=4; sedation NNH=5; speech disorders NNH=5; dizziness NNH=5; and ataxia/muscle twitching NNH=6.² Additional concerns include driving impairment, addiction risk, euphoria, and psychosis. Some cannabinoids may be safer than others, but this is not well studied (including specific THC/CBD ratios). See next page. Option, but caution in older adults. The Cannabis use disorder is associated with self-harm & overdose death in youth.

# Q PERSPECTIVES ON Medical Cannabis

#### Cannabis is useful?

- Some patients have tried a dozen or so standard medications without success, and now are trying, or want to try cannabis. If these patients find success with cannabis, and we help them do so safely, we will have done a great service for them.
- When patients say a medication helps, we should listen to them, just as we listen when patients tell us the antidepressant or anti-emetic we prescribed is helping.
- By developing products with a higher CBD-to-THC ratio, many tolerability concerns could be overcome.
- If cannabis helps our patients use less opioids, that's an attractive tradeoff.
- I plan to discuss what would constitute success, set realistic expectations, and conduct a trial over 4-12 weeks, after which any benefits vs harms will be assessed along with the decision on whether to continue or discontinue.

#### Cannabis should be avoided?

- Every other medication we prescribe has standard dosing and potency; no other medication is smoked. Inhaled cannabis contains 400+ compounds, and it's unclear which are important and how they interact. On top of that, each inhaled puff can be different from the last.
- There is no evidence that cannabis is superior to prescription cannabinoids; therefore regulated & approved prescription cannabinoids should always be preferred.
- In clinical trials, benefits are typically small and may just be a placebo effect. Meanwhile, adverse events are common. We have a professional duty to only prescribe medications when it can be done safely, and with cannabis the harms almost always outweigh the benefits. These harms may not be fully appreciated by patients.
- If we routinely authorize cannabis today, will it mirror the opioid crisis tomorrow?

A final thought: If a patient told you they were getting benefit from ibuprofen over-the-counter, you might recommend they continue taking it. You might even prescribe it. But would you feel the same way if the patient was using 6 grams of ibuprofen per day? Or if the patient insisted that the ibuprofen was improving their blood sugar control? Or if the patient had a history of GI bleeds?

# Cannabinoids for pain, or Opioids ...

Trial evidence comparing cannabinoids and opioids is limited.<sup>57</sup> But they do have some similarities and differences to consider:

- Efficacy: For both drug classes, RCT evidence is of low quality and short duration, and tends to show only a modest reduction in pain. Longer trials tend to show less benefit. However, despite the relative lack of quality evidence, patients often have strong beliefs about the value of each drug class. {Ask "Who is using? How are they using?, & Why...?"}
- Adverse effects: Nausea, sedation, and euphoria are adverse effects of both drug classes. Opioids can cause constipation;<sup>25</sup> cannabinoids can cause psychiatric disturbances (e.g. anxiety, agitation, amotivation, psychosis).<sup>27</sup> Adverse effects appear dose-related (↑dose = ↑AE). Both drug classes may be used by patients as an "escape".
- Addiction risk: With prescription opioids, estimated to be 5.5%.25 With non-medical cannabis, estimated to be ~9%.26 (The risk with medical cannabinoids is unstudied.)
- Fatal overdose risk: With prescription opioids, 0.23% with >100mg morphine per day ( $\uparrow$ risk with  $\uparrow$ dose). With cannabis, fatal overdose risk appears to be negligible.
- For both drug classes, the concept of an n=1 trial with an exit strategy is important. Not all patients will respond to, or function well on, these medications.

# ... Or Something Better?

If patients are wanting relief from pain – physical or emotional – there are often better choices!

Non-pharmacological approaches to coping and living well with pain will be essential for success!

Misc info: Synthetic illicit cannabinoids: e.g. K2, Spice – highly potent CB1/CB2 receptor agonists; case reports of severe acute toxicity.<sup>52</sup> Phytocannabinoid: cannabinoid derived from cannabis (e.g. THC, CBD, & MANY others). THC: a partial CB1 & CB2 agonist. CBD: uncertain mechanism of action. Entourage effect: an unproven hypothesis that efficacy of cannabinoids is increased (or adverse effects decreased) when they are used in combination and/or in particular ratios and/or with flavonoids, terpenoids. Topical cannabis e.g. creams: an unproven dosage form, promoted as local analgesia without systemic effect, but currently without trials to support (link). Concentrated Cannabis e.g. hash, shatter, budder, wax: contains THC as high as 90%. Dabbing: vaping small amounts of concentrated cannabis. Travelling with cannabis outside of Canada: not recommended. Non-medical cannabis: aka "recreational". Is cannabis opioid-sparing?: Evidence is still unclear. Submitting AE to Health Canada: https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/recalls-adverse-reactions-reporting/report-side-effects-cannabis-products.html (see for tips for cannabis products)

	Carraria/TDADE		· ·		b, L Regiel BSP, B Jelisell BSP, A Wiebe BSP   www.rxriles.cd Apr 2025		
	Generic/TRADE	Indications & Comments	DOSING	\$/30d <b>*</b>	Adverse Events AE / Contraindications CI / Drug Interactions DI / Monitor M		
grade)	Nabilone CESAMET, g synthetic THC analogue 0.5, 1mg cap ♠ ▼ △ 0.25mg cap X ▼ △	Preferred over cannabis. CFP'18  ✓ severe nausea/vomiting from cancer chemotherapy   off-label: AIDS-related anorexia   Palliative pain   Neuropathic pain	Initial: 0.25-0.5mg po HS Usual: 1-2mg po daily-BID for CINV 1mg po BID for neuropathic pain Usual max: 6mg/day {Onset 60-90min; duration 8-12 hrs}	\$23-36 g \$252-494 g \$252 g \$736 g \$1390	<ul> <li>AE: Some notes on adverse events:         <ul> <li>percentages below are often "worst case scenarios" from systematic reviews, yet due to trial-design issues could also be underestimates.</li> <li>adverse events dose-related (↑dose = ↑AE), &amp; more common with THC products</li> <li>it is difficult to compare AE rates between agents, due to few head-to-head trials.</li> </ul> </li> <li>THC appears to be the main component responsible for causing a "high" (low quality evidence). <sup>44</sup> CBD appears safer than THC, but some of its psychotropic effects are</li> </ul>		
Prescription Cannabinoids (pharmaceutical grade)	Nabiximols SATIVEX X  extracted THC/CBD  2.7mg THC & 2.5mg CBD (plus terpenoids) per spray (peppermint flavour; poor taste) (contains alcohol)  refrigerate prior to dispensing Not available in USA.  Cannabidiol EPIDIOLEX extracted CBD  100mg/mL solution FDA'18 (contains alcohol, sesame oil; strawberry flavour)	Not detected in SK urine drug screen     Preferred over cannabis. CFP'18     ✓ advanced cancer pain (adjunctive)     ✓ multiple sclerosis neuropathic pain or spasticity (adjunctive)     Spasticity may require lower doses than pain (e.g. 4-5 sprays vs >8 sprays per day).     Detected in SK urine drug screen     ✓ Seizures: Lennox-Gastaut syndrome or Dravet syndrome in patients & Tuberous sclerosis complex ≥1 yrs     Not detected in SK urine drug screen	• Spray under the tongue or into side cheek (may alternate sides). • Shake vial gently. Device requires priming (3 sprays). Initial: 1 spray sublingually HS Usual: 1 spray sublingually q4h Usual max: 12 sprays per day {Onset 15-40min; duration 2-4 hrs} Seizures (Lennox-Gastaut or Dravet): ≥1yrs: 2.5-10mg/kg/dose po BID usually give before a meal • Food (fat/caloric): ↑ absorption.	3 vial pack = \$673 (\$2.50/spray) (90 spray/vial) \$75 \$468 \$917	underappreciated (e.g. vs placebo in predominately pediatric trials: aggression/anger 3- vs <1%; irritability/agitation 5-9% vs 2%; somnolence 25% vs 8%). 31  drowsiness or sedation up to 50% across cannabinoids. 2 dizziness up to 32% across cannabinoids. 2 psychiatric disturbances up to 17% across cannabinoids, 2 and up to 27% with inhaled cannabis, COMPASS including depression, anxiety, apathy, panic, paranoia, hallucinating In Colorado, accounts for ~25% of cannabis-related hospital visits. Monte'19 euphoria up to 15%, and feeling "high" up to 35% across cannabinoids. 2 acute psychosis or dissociation up to 5% across cannabinoids. 2  1st episode psychosis daily cannabis ↑3x & THC ≥10% ↑5x vs never users. Forti'19 schizophrenia unmasking: cannabis may hasten first psychotic episode by 2-6 yrs. 8 speech disorders up to 32%, and ataxia up to 30% across cannabinoids. 2 impaired memory up to 11%. 2 Also: impaired cognitive performance (~for up <28da irritability or agitation up to 9%, and anger or aggression up to 5% with CBD. 31 appetite changes: decreased appetite in up to 22% of patients on CBD, 31 but converse.		
Prescr	synthetic THC  Synthe	<ul> <li>✓ severe nausea/vomiting from cancer chemotherapy</li> <li>✓ AIDS-related anorexia</li> </ul>	Initial: 2.5mg po HS Usual: 2.5-5mg po TID-QID for chemo nausea/vomiting (~5mg/m²) 2.5mg po BID ac lunch and supper for anorexia AIDS 3 Max: 20mg/day	D/C from Canadian market	increased appetite in up to 38% of patients on dronabinol.¹8  GI issues: dry mouth; diarrhea up to 20%, vomiting up to 15% with CBD.¹¹9,³¹ Conversely,  ↓ nausea in up to 20% of pts with dronabinol.¹¹8 SATIVEX: mouth irritation.  In Colorado, accounts for ~30% of cannabis-related hospital visits.Monte'¹¹9  cannabis hyperemesis syndrome: severe abdominal pain/vomiting; requires drug discontinuation; relieved by hot shower; capsaicin to abdomen useful,³²² ?IV haloperidol pneumonia up to 8% with oral CBD.³¹  ↑ LFTs up to 16% of pts on CBD;³¹ ?related to concomitant valproate/clobazam.		
Cannabis (Plant)	Oral Cannabis Oils X ⊗ THC/CBD in various ratios, e.g.: 25mg THC / 0mg CBD per mL 1mg THC / 20mg CBD per mL 3mg THC / 3mg CBD capsule many other formulations & potencies available.  Veteran's Affairs: coverage available for some patients  Dried Cannabis X ⊗	No official indication. May be medically authorized in Canada to any patient for any indication (i.e. "off-label use").  • THC detected in urine drug screen up to 4 weeks after last dose (esp. with chronic/heavy use)  • Oral vs inhaled: Oral has lower bioavailability (~10% vs ~25%),¹ slower onset (30-60min vs 5-10min),⁴ longer duration (4-8 hrs vs 2-4 hrs),¹ & does not have respiratory risk.  • Smoked vs vaped: smoking speculated to have more respiratory	Initial: CBD 2.5-5mg po daily-BID +/- THC 1-2.5mg po daily-BID (for pain) Usual: Uncertain due to lack of randomized trials. Titrate slowly, e.g. CBD q2-3d, THC q2-7d. (Consider titrating CBD to 40mg/day first, then adding THC if needed, with THC then titrated to max 40mg/day) <sup>87</sup> • Food increases absorption. • Consider 1st dose at 7 p.m. to leave time for assessing effect. • Consider weekend trial start (or when impairment less disastrous).  Guidelines recommend avoiding	\$7 e.g. 60mL bottle of oil containing 1200mg CBD ≈ \$130  Use a calibrated dropper	driving impairment: risk of fatal car crash approximately doubles with THC. <sup>28,55</sup> withdrawal with abrupt discontinuation (see withdrawal symptoms on next pg) red eyes reported with non-medical use of oral and smoked THC. rare or uncertain: ?sexual problems, ?cancer testicular, ? → BMD, ?pancreatitis.  Harms specific to smoked cannabis: cough 7%, lung/respiratory (e.g. development of COPD, pulmonary aspergillosis, ?lung cancer, vocal fold changes), <sup>35</sup> cardiovascular issues (e.g. ↑HR,¹ postural hypotension,¹ ? ↑MI 1 hr after smoking³9 & cannabis use >4x/mos³¹) ?steatosis with hep C, ?gynecomastia, ?hrombophlebitis, ?contaminants in unregulated cannabis (e.g. lead, fentanyl, pesticides). Other harms: ↑self-harm/suicidality, if at risk.  Cl:pregnancy ↓birth wt & ↑preterm, <sup>83</sup> ?stillbirth, ?negative neurodevelopment; breasteding; <21-25yrs (CBD exception: tx-resistant seizures); psychosis/schizophrenia hx. <sup>6</sup> Caution: in elderly (↑AE), <sup>82</sup> SUD history, driving (sometimes contraindicated) <4-5hrs after inhalation/<6hrs after ingestion <8 hrs after euphoria (studies focused on THC component); hx of seizures, psychiatric disorders (e.g. bipolar, anxiety), CVD, or respiratory dx. <sup>9</sup> Caution: ped toxicity with edible ingestion.		
Medical Cannab	THC/CBD in various ratios, often to smoke/vape, e.g.: 12.5% THC 4% THC / 10% CBD 1% THC / 13% CBD many other potencies available.   refrigerate for max stability Veteran's Affairs: coverage available for some patients  Trend: toward ↑ potency products. 54 (e.g. 4% THC in 1995 → 12% in 2014; some may now be in the ~20% range) Average joint: ~0.3g dried cannabis. 69 Medical use in USA: 39 States & D.C. Recreational use USA: 21 States & D.C.	risk (but data limited), but vaping has risk too (2,602 reports of vaping lung injury in US). <sup>70,73</sup> Vaping ~2x more potent (smoking destroys some drug via combustion).  • Vaping devices: Consider a Health Canada approved vaporizer.  "Marijuana Math"  note: estimate only – some uncertainty! What is the estimated THC dose if 1 joint, containing 0.5 grams of 10% THC dried cannabis, is smoked?  Answer: 500mg cannabis x 10% THC x 50% loss to combustion ≈ 25mg THC	smoked cannabis. <sup>2,7</sup> Initial: 1-2 puffs inhaled HS (1 puff of joint ≈ 1-10mg THC. Variation is due to inhalation depth, puff size, THC potency, smoked vs vaped, joint size, etc.)  Usual: Uncertain due to poor quality evidence. Titrate slowly. Based on market data for 2017 in Canada, patients taking cannabis for medical purposes titrated themselves to an average dose of 750mg dried cannabis per day. <sup>16</sup>	Canada 72	D: A note on drug interactions: Interactions are not fully understood; many are theoretical. Cannabis has many compounds besides THC & CBD; these may have unknown drug interactions. Watch closely for pharmacodynamic (additive) interactions.  All cannabinoids: additive CNS effects (e.g. sedation, confusion) with EtOH, BZDs, opioids, anticholinergics, anti-epileptics, etc. Avoid ≥ 3 CNS drugs. BEERS'19 [?disulfiram-ran if EtOH in product] Also consider additive effects: sympathomimetic, CNS, depressive, & anticholinergic.  THC-containing products 2C9 & 3A4 substrate:   □ levels by CBZ, SJW, phenytoin, etc.  □ levels by clarithromycin, fluoxetine, fluoxamine, gemfibrozil, etc.  CBD-containing products 2C19 & 3A4 substrate:  □ levels by CBZ, SJW, phenytoin, etc.  □ levels by clarithromycin, fluconazole, fluoxetine, fluoxamine, gemfibrozil, etc.  2C19 inhibitor:  □ levels of citalopram/escitalopram, clobazam, warfarin; ? levels of DOACs.  □ levels of clopidogrel, ?additive hepatotoxicity risk with valproic acid or clobazam. 19,20  Smoked cannabis: smoking may result in 1A2 induction;  e.g. □ levels of antipsychotics, caffeine, TCAs, theophylline, warfarin  Nabilone: while a THC-mimic, does not have THC drug interactions.  M: HR, BP, CNS adverse effects, psych symptoms, tx agreement, CUD, LFTs (with EPIDIOLEX)		

# Who could be a candidate for cannabinoid therapy?

• Cannabinoids are generally not considered first- or second-line therapy for any indication. Reserve use for patients who have failed other therapies. Conduct a trial over 4-12 wks; review benefit vs harm e.g. may consider if tried ≥3 drugs for neuropathic pain or ≥2 drugs for palliative pain or if refractory to standard therapies for CINV, spasticity in MS or SCI, or cachexia [or refractory pediatric seizure]

• Watch for relative contraindications such as pregnancy, breastfeeding, age <21-25, a history of psychosis/schizophrenia, or substance use disorder hx. For more details, see 🗏 RxFiles Cannabis Q and A

# Prescribing/Authorizing Cannabinoids Safely

Cannabinoids are substances which may be misused or cause a substance use disorder; caution is needed when prescribing. In general, follow similar principles to prescribing opioids (see page 131-132). A summary of these principles is as follows:

- Optimize suitable non-cannabis therapies first (drug and non-drug)
- ☐ Check Prescription Drug Monitoring Programs (e.g. PIP in SK) at baseline & at each visit These programs do not record cannabis. Option to check order hx with Licensed Producer. Document cannabis use on local EMR (just like tobacco, alcohol, etc.).
- ☐ Baseline urine drug screen, and randomly thereafter

THC metabolite detected = THC-COOH. Note: urine drug screens in SK do not test for CBD.

- ☐ Assess risk of addiction, and monitor for cannabis use disorder (CUD)
- ☐ Ensure the patient understands cannabinoids are prescribed as a **trial** Reasonable trial duration may be ~12 weeks.
- ☐ Obtain Treatment Agreement and Informed Consent

Search "agreement" at www.rxfiles.ca for a sample cannabinoid tx agreement. Agreement includes safe storage – especially important if kids nearby!67

☐ Monitor for benefits & harms. **Exit Strategy**: stop (often taper) if trial unsuccessful.

Possible taper to prevent withdrawal: ↓ by 25% g1week. Monitor more vigilantly in those at higher risk, esp where quality evidence/guidelines lacking.

Perioperative Resource: ASRA Pain Medicine Consensus Guidelines for the perioperative patient on cannabinoids.86

Monitoring for Cannabis Use Disorder (CUD)

9% of adults who use cannabis non-medically may develop addiction (adolescents are 2-4x more likely).51,76,77,84 Counselling Adolescents & Parents About Cannabis Infographic (CPS)

#### **Prior to Tx: Screen for CUD**

#### 1) Options for Screening: **CUDIT-R**

specific to cannabis.45

#### **CAGE-AID Questionnaire** short & practical.46

Diagnosing: use DSM-5 criteria (listed in CFP Guidance document): has 11 components, 2 or more +'ve but exclude tolerance & withdrawal if taking for therapeutic purposes with medical supervision.<sup>53</sup>

{4Cs of Addiction: Craving, loss of Control, Compulsive use, Continued use despite harm}

# **During Tx: Monitor for CUD** rapid or unsanctioned dose ↑

- frequent changes needed
- wants dried cannabis only
- wants high potency THC only misuse of other substances
- urine drug screen: aberrant
- concerns from friends/family
- poor functioning (school/work/social)
- missed follow-up; reports of lost or stolen cannabis

# In primary care,<sup>47</sup> watch for:

- ♦ respiratory problems
- ♦ depression/anxiety/amotivation
- ♦ issues functioning/concentrating (e.g. in studies, work, relationships)
- ♦ those at ↑risk of self-injury/harm (e.g. veterans - suicidality, seniors - AEs, DIs)

#### Treating CUD:48-50

- a) Brief interventions
- b) Withdrawal management (e.g. sleep hygiene, brief symptomatic relief, ?nicotine replacement)
- c) Psychosocial interventions (e.g. motivational enhancement, CBT)

[Note: Pharmacologic tx, e.g. naltrexone, appears ineffective at this time] Cochrane'19

# **Choosing Between Products**

Note: currently Canada has a "two-stream" cannabis system: medically authorized cannabis, and cannabis through retail sale.

Symptoms of Cannabis Withdrawal (onset 1-2 days, peak 2-6 days)

Anger, aggression, appetite change, weight loss, anxiety, irritability,

restlessness, sleep disturbance, cannabis craving, physical discomfort.

CUD increased 3-4-fold over 20 years following legalization in Denmark.80

	Prescription Cannabinoids	Cannabis		
	e.g. nabilone, nabiximols	via medical authorization	via retail sale	
Quality Control	Identification Number). have less vigorous production standards than Rx drugs. Products require standardize			
Dosing & Guidance	Standardized. Some indications and dosing are Health Canada approved. Will show up on the electronic medical record (e.g. PIP in Saskatchewan).  Note: despite prescriber attempts to pretail cannabis against medical advice	<ul> <li>red stop-sign shape with cannabis leaf &amp; "THC." Edibles must</li> <li>Challenging. e.g. THC in 1 puff of cannabis joint can range from 1 to &gt;10mg. No "studied usual dose".</li> <li>Prescriber may pick strain/ratio and max quantity allowed for patient. May limit duration, e.g. "one 60mL bottle of CBD oil, then see prescriber for further authorization."</li> <li>Overall, less control than prescription products (e.g. "dosing interval" does not exist).</li> <li>guide product and dosing, patients may supplement with</li> </ul>	Patient selects the product, dose, dosing interval, and route of administration.  Difficult to provide monitoring, boundaries, or education.	
Access	Dispensed by community pharmacy.	Exclusively by mail/courier.	At cannabis retail store; online ordering possible too.	
Paperwork	Written or electronic prescription.	See Paperwork Required for Medical Cannabis box, right.	None.	
Coverage	<ul> <li>Occasional private insurance coverage.</li> <li>SK EDS and prior approval criteria for specific indications.</li> </ul>	<ul> <li>Occasional private insurance coverage (e.g. Manulife and Sunlife on a case-by-case basis as of 2018).</li> <li>Veteran's affairs coverage (max 3g/day dried cannabis)</li> <li>~\$8/gram; May grow at home to ↓costs.</li> </ul>	No coverage by any drug plans or private insurance; can't be claimed on income tax.  Average price still uncertain	
		{Calculator for home production limit amount - link below}	(Ranges from \$8-20/gram)	

# **Paperwork Required for Medical Cannabis**

- Complete medical document form (link 1). In SK, complete treatment agreement form (link 2), or visit RxFiles.ca and search "agreement").56
- Submit medical document to Licensed Producer (link 3) who mails cannabis (dried, oil, buds, or leaves) to patient.
- Or, patients may apply to grow their own product at home (e.g. 15 plants for 3g/day, see link 4).
- Medical document must be re-authorized at least once per year.
- In SK, prescribers required to keep list of pts.
- No set daily limit; max possession is lesser of 150g or 30 times daily amount.
- www.hc-sc.gc.ca/dhp-mps/alt\_formats/pdf/marihu
- http://www.cps.sk.ca/iMIS/Documents/Programs%20and%20Services Patient%20Agreement%20Template%20-%20Medical%20Cannabis.pd
- https://www.canada.ca/en/health-canada/services/drugsedication/cannabis/industry-licensees-applicants/licensec
- www.canada.ca/en/health-canada/topics/production-cannabis-for your-own-medical-purposes.html

#### People taking for medical purposes (vs non-medical)

- Use more frequently
- Use products other than dried flower & trend towards low THC/high CBD

Calculator for the production of a limited amount of cannabis for medical purposes: <a href="http://health.canada.ca/en/health-products-buying-using-drug-health-products-safely/cannabis-medical-purposes/accessing-cannabis-medical-purposes/production-cannabis-medical-purposes/calculator.html</a>

≅=EDS in SK Ç=prior approval NIHB X =not covered SK ⊗=not covered NIHB △=NIHB palliative care 2-AG=2-Arachidonoylglycerol AEA=Anandamide CBD=cannabidiol CB1=cannabinoid receptor type 1 CB2=cannabinoid receptor type 2 CBZ=carbamazepine CINV=chemotherapy-induced nausea and vomiting CUD=cannabis use disorder MS=multiple sclerosis PIP=pharmaceutical information program TCA=tricyclic antidepressant SCI=spinal cord injury SJW=St. John's Wort THC=delta-9-tetrahydrocannabinol

Acknowledgements: Written by Alex Crawley, Loren Regier, Marlys LeBras, and Amy Wiebe. Thanks to our reviewers.

Disclosures: No conflicts of interest are reported by Alex Crawley, Loren Regier, Marlys LeBras, or Amy Wiebe.

**Disclaimer:** RxFiles Academic Detailing is part of the College of Pharmacy and Nutrition at the University of Saskatchewan. The content of this work represents the research, experience and opinions of the authors and not those of the University of Saskatchewan. Neither the authors nor the University of Saskatchewan nor any other party who has been involved in the preparation or publication of this work warrants or represents that the information contained herein is accurate or complete, and they are not responsible for any errors or omissions or for the result obtained from the use of such information. Any use of the materials will imply acknowledgment of this disclaimer and release any responsibility of the University of Saskatchewan, its employees, servants or agents. Readers are encouraged to confirm the information contained herein with other sources.

Cannabinoids: Online Extras

#### College of Physicians & Surgeons of Saskatchewan: The College's bylaw

The College's bylaw which regulates physician authorization of medical marihuana is now in effect. The bylaw is numbered Bylaw 19.2 of the regulatory bylaws of the College and is available at the College's website. Visit: http://www.cps.sk.ca/imis/CPSS/CPSS/Programs and Services/Medical Marijuana/Medical Cannabis.aspx. A summary of the bylaw follows:

- 1. The bylaw begins with a statement that there has not been sufficient scientific or clinical assessment to provide evidence about the safety and efficacy of marihuana for medical purposes. The bylaw begins with an acknowledgement that federal government regulations have authorized the use of marihuana for medical purposes.
- 2. A physician cannot authorize the use of marihuana for a patient unless the physician is also the treating physician for the condition for which the patient is authorized to use marihuana. For example, if a patient is to be authorized to use medical marihuana to deal with symptoms of MS, the physician must also be the treating physician for the patient's MS.
- 3. A physician must review the patient's medical history, review relevant records pertaining to the condition for which the use of marihuana is authorized and conduct an appropriate physical examination before authorizing the patient's use of marihuana.
- 4. The patient must sign a written treatment agreement which contains the following:
  - A) A statement from the patient that the patient will not seek a prescription for marihuana from any other physician during the period for which the marihuana is prescribed;
  - B) A statement by the patient that the patient will utilize the marihuana as prescribed, and will not use the marihuana in larger amounts or more frequently than is prescribed;
  - C) A statement by the patient that the patient will not give or sell the prescribed marihuana to anyone else, including family members;
  - D) A statement by the patient that the patient will store the marihuana in a safe place

Sample treatment agreement: http://www.cps.sk.ca/iMIS/Documents/Programs%20and%20Services/Patient%20Agreement%20Template%20-%20Medical%20Cannabis.pdf

Or visit www.RxFiles.ca and search "agreement".

- 5. The physician's record for the patient must include the requirements for all medical records and, in addition, contain the following:
  - A) The treatment agreement signed by the patient;
  - B) The diagnosis for which the patient was authorized to purchase marihuana;
  - C) A statement of what other treatments have been attempted for the condition for which the use of marihuana was prescribed and the effect of such treatments;
  - D) A statement of what, if anything, the patient has been advised about the risks of the use of marihuana;
  - E) A statement that in the physician's medical opinion the patient is likely to receive therapeutic or palliative benefit from the use of marihuana to treat the patient's condition.
- 6. The physician must retain a single record, separate from other patient records, which can be inspected by the College, and which contains:
  - A) The patient's name, health services number and date of birth;
  - B) The quantity and duration for which marihuana was prescribed;
  - C) The medical condition for which marihuana was prescribed;
  - D) The name of the licensed producer from which the marihuana will be obtained, if known to the physician.
- 7. Physicians who prescribe marihuana will be required to provide the College with the information referenced in paragraph 6:
  - A) Every twelve months if the physician has prescribed marihuana to fewer than 20 patients in the preceding 12 months;
  - B) Every six months if the physician has prescribed marihuana to 20 or more patients in the preceding 12 months.

- 8. The bylaw prohibits physicians from diagnosing or treating patients at the premises of a licensed producer;
- 9. The bylaw prohibits physicians who prescribe marihuana from having an economic or management interest in a licensed producer;
- 10. The bylaw prohibits physicians from storing or dispensing marihuana from any location where the physician practices medicine.

# **Submitting Adverse Effect information to Health Canada:**

 $https://www.canad\underline{a.ca/en/health-canada/services/drugs-medication/cannabis/recalls-adverse-reactions-reporting/report-side-effects-cannabis-products.html\\$ 

Tips on filling out Part D (for cannabis products i.e. dried cannabis or cannabis oils)

- DIN or NPN is not required
- Include: brand name, strain name, lot #, licensed holder name, intended use (medical or non-medical)
- If the product was not purchased from a legal retailer it can still be reported but it would be useful to indicate if it was purchased from a non legal source so it can be processed properly in our database.

Cannabinoid Use Disorder         137           Cannabis         137           CBD         137           Marijuana         137           Medical Cannabis         137           Anorexia         138           Cannabidiol         138           Cannabinoid         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabisione         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Tetranabinex/nabidiolex         138		
Cannabis         137           CBD         137           Marijuana         137           Medical Cannabis         137           Anorexia         138           Cannabidiol         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabiione         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabinoid	137
CBD         137           Marijuana         137           Medical Cannabis         137           Anorexia         138           Cannabidiol         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabinoid Use Disorder	137
Marijuana         137           Medical Cannabis         137           Anorexia         138           Cannabidiol         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabisimols         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabis	137
Medical Cannabis         137           Anorexia         138           Cannabidiol         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	CBD	137
Anorexia 138 Cannabidiol 138 Cannabinoid 138 Cannabis 138 CBD 138 CESAMET 138 Dried Cannabis 138 Dronabinol 138 EPIDIOLEX 138 Marijuana 138 MARINOL 138 Nabilone 138 Nabixmols 138 Oral Cannabis 0ils 138 SATIVEX 138 Smoke 138 Smoking 138 Smoking 138 Tetranabinex/nabidiolex 138	Marijuana	137
Cannabidiol         138           Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Medical Cannabis	137
Cannabinoid         138           Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabisimols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Anorexia	138
Cannabis         138           CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabisimols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabidiol	138
CBD         138           CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabinoid	138
CESAMET         138           Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Cannabis	138
Dried Cannabis         138           Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabiione         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	CBD	138
Dronabinol         138           EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabiione         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	CESAMET	138
EPIDIOLEX         138           Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Dried Cannabis	138
Marijuana         138           MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138		138
MARINOL         138           Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	EPIDIOLEX	138
Nabilone         138           Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Marijuana	138
Nabiximols         138           Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	MARINOL	138
Oral Cannabis Oils         138           SATIVEX         138           Smoke         138           Smoked/vapourized Cannabis         138           Smoking         138           Tetranabinex/nabidiolex         138	Nabilone	138
SATIVEX 138 Smoke 138 Smoked/vapourized Cannabis 138 Smoking 138 Tetranabinex/nabidiolex 138	Nabiximols	138
Smoke 138 Smoked/vapourized Cannabis 138 Smoking 138 Tetranabinex/nabidiolex 138	Oral Cannabis Oils	138
Smoked/vapourized Cannabis 138 Smoking 138 Tetranabinex/nabidiolex 138	SATIVEX	138
Smoking 138 Tetranabinex/nabidiolex 138	Smoke	138
Tetranabinex/nabidiolex 138	Smoked/vapourized Cannabis	138
	Smoking	138
THC 138	Tetranabinex/nabidiolex	138
1110	THC	138

# References: Cannabinoid Chart - www.RxFiles.ca

- 1. Health Canada. Information for health care professionals: Cannabis (marihuana, marijuana) and the cannabinoids. 2013. Available from <a href="https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/information-medical-practitioners/information-health-care-professionals-cannabis-cannabinoids.html.">https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/information-medical-practitioners/information-health-care-professionals-cannabis-cannabinoids.html.</a> Accessed August 17, 2018.
- 2. Allan GM, Ramji J, Perry D, Ton J, Beahm NP, Crisp N, et al. **PEER** Simplified guideline for prescribing medical cannabinoids in primary care. Canadian Family Physician. 2018 Feb 1;64(2):111-20.
- 3. Fischer B, Russell C, Sabioni P, van den Brink W, Le Foll B, Hall W, Rehm J, Room R. Lower-risk cannabis use guidelines: a comprehensive update of evidence and recommendations.

  American journal of public health. 2017 Aug;107(8):e1-2.
- 4. RxTx [Internet]. Ottawa (ON): Canadian Pharmacists Association; c2018. CPS online: Cannabis [cited August 17, 2018]. Available from <a href="https://www.myrxtx.ca">www.myrxtx.ca</a>. Subscription required.
- 5. Canadian Pharmacists Association. Cannabis for Medical Purposes Guide. 2018. Available from <a href="https://www.pharmacists.ca/cpha-ca/assets/File/education-practice-resources/Cannabis">https://www.pharmacists.ca/cpha-ca/assets/File/education-practice-resources/Cannabis</a> EvidenceGuide 2018.pdf. Accessed August 17, 2018.
- 6. College of Family Physicians of Canada. Authorizing dried cannabis for chronic pain or anxiety: preliminary guidance. 2014. Available from: <a href="https://www.cfpc.ca/uploadedFiles/Resources/">https://www.cfpc.ca/uploadedFiles/Resources/</a> PDFs/Authorizing%20Dried%20Cannabis%20for%20Chronic%20Pain%20or%20Anxiety.pdf. Accessed August 17, 2018.
- 7. Kahan M, Srivastava A, Spithoff S, Bromley L. Prescribing smoked cannabis for chronic noncancer pain. Preliminary recommendations. Can Fam Physician 2014;60:1083-90 (Eng), e562-70 (Fr).
- 8. Volkow ND, Baler RD, Compton WM, Weiss SR. Adverse health effects of marijuana use. New England Journal of Medicine. 2014 Jun 5;370(23):2219-27.
- 9. Nugent SM, Morasco BJ, O'neil ME, Freeman M, Low A, Kondo K, Elven C, Zakher B, Motu'apuaka M, Paynter R, Kansagara D. The effects of cannabis among adults with chronic pain and an overview of general harms: A systematic review. Annals of internal medicine. 2017 Sep 5;167(5):319-31.
- 10. Koppel BS, Brust JC, Fife T, Bronstein J, Youssof S, Gronseth G, Gloss D. Systematic review: Efficacy and safety of medical marijuana in selected neurologic disorders Report of the Guideline Development Subcommittee of the American Academy of Neurology. Neurology. 2014 Apr 29;82(17):1556-63.
- 11. Allan GM, Finley CR, Ton J, Perry D, Ramji J, Crawford K, Lindblad AJ, Korownyk C, Kolber MR. Systematic review of systematic reviews for medical cannabinoids: Pain, nausea and vomiting, spasticity, and harms. Canadian Family Physician. 2018 Feb 1;64(2):e78-94.
- 12. Meng H, Johnston B, Englesakis M, Moulin DE, Bhatia A. Selective cannabinoids for chronic neuropathic pain: a systematic review and meta-analysis. Anesthesia & Analgesia. 2017 Nov 1;125(5):1638-52.
- 13. Whiting PF, Wolff RF, Deshpande S, Di Nisio M, Duffy S, Hernandez AV, Keurentjes JC, Lang S, Misso K, Ryder S, Schmidlkofer S. Cannabinoids for medical use: a systematic review and meta-analysis. Jama. 2015 Jun 23;313(24):2456-73.
- 14. Smith LA, Azariah F, Lavender VT, Stoner NS, Bettiol S. Cannabinoids for nausea and vomiting in adults with cancer receiving chemotherapy. Cochrane Database Syst Rev 2015;(11):CD009464.
- 15. Mücke M, Phillips T, Radbruch L, Petzke F, Häuser W. Cannabis-based medicines for chronic neuropathic pain in adults. The Cochrane Library. 2018 Jan 1.
- 16. Health Canada. Cannabis Market Data, 2018. Available from <a href="https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/licensed-producers/market-data.html">https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/licensed-producers/market-data.html</a>. Accessed August 17, 2018.
- 17. Casarett D. The achilles heel of medical cannabis research—inadequate blinding of placebo-controlled trials. JAMA internal medicine. 2018 Jan 1;178(1):9-10.
- 18. Beal JE, Olson R, Laubenstein L, Morales JO, Bellman P, Yangco B, Lefkowitz L, Plasse TF, Shepard KV. Dronabinol as a treatment for anorexia associated with weight loss in patients with AIDS. Journal of pain and symptom management. 1995 Feb 1;10(2):89-97.
- 19. Devinsky O, Cross JH, Laux L, Marsh E, Miller I, Nabbout R, Scheffer IE, Thiele EA, Wright S. Trial of cannabidiol for drug-resistant seizures in the Dravet syndrome. New England Journal of Medicine. 2017 May 25;376(21):2011-20.
- 20. Devinsky O, Patel AD, Cross JH, Villanueva V, Wirrell EC, Privitera M, Greenwood SM, Roberts C, Checketts D, VanLandingham KE, Zuberi SM. Effect of Cannabidiol on Drop Seizures in the Lennox—Gastaut Syndrome. New England Journal of Medicine. 2018 May 17;378(20):1888-97.
- 21. Wilsey B, Marcotte T, Deutsch R, Gouaux B, Sakai S, Donaghe H. Low-dose vaporized cannabis significantly improves neuropathic pain. J Pain 2013;14(2):136-48.
- 22. Wilsey B, Marcotte T, Tsodikov A, Millman J, Bentley H, Gouaux B, et al. A randomized, placebo-controlled, crossover trial of cannabis cigarettes in neuropathic pain. J Pain 2008;9(6):506-21.
- 23. Elzinga S, Ortiz O, Raber J. The Conversion and Transfer of Cannabinoids from Cannabis to Smoke Stream in Cigarettes. Available from <a href="http://cannabinetics.org/pdfs/thca-a.pdf">http://cannabinetics.org/pdfs/thca-a.pdf</a>
- 24. Cannimed prices available from <a href="https://www.cannimed.ca/collections/all">https://www.cannimed.ca/collections/all</a>. Accessed August 17, 2018.
- 25. Busse JW, Craigie S, Juurlink DN, Buckley DN, Wang L, Couban RJ, et al. **Guideline for opioid therapy and chronic noncancer pain. CMAJ. 2017 May 8;189(18):E659-E666.** Also accessible in full online at: <a href="http://nationalpaincentre.mcmaster.ca/guidelines.html">http://nationalpaincentre.mcmaster.ca/guidelines.html</a>
- 26. Lopez-Quintero C, Pérez de los Cobos J, Hasin DS, Okuda M, Wang S, Grant BF, Blanco C. Probability and predictors of transition from first use to dependence on nicotine, alcohol, cannabis, and cocaine: results of the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). Drug Alcohol Depend. 2011 May 1;115(1-2):120-30.

- 27. **COMPASS**. Ware MA, Wang T, Shapiro S, Collet JP; COMPASS study team. Cannabis for the Management of Pain: Assessment of Safety Study (COMPASS). J Pain. 2015 Dec;16(12):1233-1242.
- 28. Laumon, B., Gadegbeku, B., Martin, J. L., and Biecheler, M. B. (2005). Cannabis intoxication and fatal road crashes in France: population based case-control study. BMJ. 331: 1371
- 29. Alberta College of Family Physicians. Tools for Practice #210: **Blazing Through the Evidence on THC Versus CBD Combinations in Medical Cannabinoids.** Danielle Perry, Joey Ton, G. Michael Allan. Available from https://www.acfp.ca/wp-content/uploads/tools-for-practice/1524259665 tfp210thc-cbd.pdf. Accessed August 17, 2018.
- 30. Health Canada. National Cannabis Survey, first quarter 2018. Available from <a href="https://www150.statcan.gc.ca/n1/daily-quotidien/180418/dq180418b-eng.htm">https://www150.statcan.gc.ca/n1/daily-quotidien/180418/dq180418b-eng.htm</a>. Accessed August 17, 2018.
- 31. FDA drug product monograph. Epidiolex (cannabidiol) oral solution. Available from <a href="https://www.accessdata.fda.gov/drugsatfda">https://www.accessdata.fda.gov/drugsatfda</a> docs/label/2018/210365lbl.pdf. Accessed August 17, 2018.
- 32. Moon AM, Buckley SA, Mark NM. Successful Treatment of Cannabinoid Hyperemesis Syndrome with Topical Capsaicin. *ACG Case Reports Journal*. 2018;5:e3. doi:10.14309/cri.2018.3.
- 33. Thiele EA, Marsh ED, French JA, Mazurkiewicz-Beldzinska M, Benbadis SR, Joshi C, et al. Cannabidiol in patients with seizures associated with Lennox–Gastaut syndrome (GWPCARE4): a randomised, double-blind, placebo-controlled phase 3 trial. Lancet 2018; 391: 1085–96.
- 34. Health Canada. Cannabis Stats Hub. Available from https://www150.statcan.gc.ca/n1/pub/13-610-x/cannabis-eng.htm. Accessed August 17, 2018.
- 35. Aldington S, Williams M, Nowitz M, Weatherall M, Pritchard A, McNaughton A, Robinson G, Beasley R. THE EFFECTS OF CANNABIS ON PULMONARY STRUCTURE, FUNCTION AND SYMPTOMS. Thorax. 2007 Jul 31; [Epub ahead of print] Smoking cannabis was associated with a dose-related impairment of large airways function resulting in airflow obstruction and hyperinflation. In contrast, cannabis smoking was seldom associated with macroscopic emphysema. The 1:2.5 to 5 dose equivalence between cannabis joints and tobacco cigarettes for adverse effects on lung function is of major public health significance.
- 36. Jouanjus E, Lapeyre-Mestre M, Micallef J; French Association of the Regional Abuse and Dependence Monitoring Centres (CEIP-A) Working Group on Cannabis Complications. Cannabis use: signal of increasing risk of **serious cardiovascular disorders**. J Am Heart Assoc. 2014;3:e000638
- 37. Reis JP, Auer R, Bancks MP, et al. **Cumulative Lifetime Marijuana Use and Incident Cardiovascular Disease** in Middle Age: The Coronary Artery Risk Development in Young Adults (**CARDIA**) Study. Am J Public Health. 2017 Apr;107(4):601-606.
- 38. Thomas G, Kloner RA, Rezkalla S. Adverse cardiovascular, cerebrovascular, and peripheral vascular effects of **marijuana** inhalation: what cardiologists need to know. Am J Cardiol. 2014 Jan 1;113(1):187-90.
- 39. Mittleman MA, Lewis RA, Maclure M, Sherwood JB, Muller JE. Triggering myocardial infarction by marijuana. Circulation. 2001 Jun 12;103(23):2805-9.
- 40. **WHO** data. World Health Organization (WHO). Cannabis: a health perspective and research agenda. 1997. Available from: http://apps.who.int/iris/bitstream/handle/10665/63691/WHO?sequence=1
- 41. Bonn-Miller MO, Loflin MJE, Thomas BF, Marcu JP, Hyke T, Vandrey R. Labeling Accuracy of Cannabidiol Extracts Sold Online. JAMA. 2017 Nov 7;318(17):1708-1709.
- 42. Vandrey R, Raber JC, Raber ME, Douglass B, Miller C, Bonn-Miller MO. Cannabinoid Dose and Label Accuracy in Edible Medical Cannabis Products. JAMA. 2015 Jun 23-30;313(24):2491-3.
- 43. Health Canada. Additional Information for Licensed Producers under the Access to Cannabis for Medical Purposes Regulations. Available from <a href="https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/licensed-producers/additional-information-licensed-producers-under-access-cannabis-medical-purposes-regulations.html">https://www.canada.ca/en/health-canada/services/drugs-medication/cannabis/licensed-producers/additional-information-licensed-producers-under-access-cannabis-medical-purposes-regulations.html</a>. Accessed September 7, 2018.
- 44. Haney M, Malcolm RJ, Babalonis S, Nuzzo PA, Cooper ZD, Bedi G, Gray KM, McRae-Clark A, Lofwall MR, Sparenborg S, Walsh SL. Oral Cannabidiol does not Alter the Subjective, Reinforcing or Cardiovascular Effects of Smoked Cannabis. Neuropsychopharmacology. 2016 Jul;41(8):1974-82.
- 45. bpac.org.nz; The Cannabis Use Disorder Identification Test Revised. Accessed online 21Sep18 at https://bpac.org.nz/BPJ/2010/June/docs/addiction CUDIT-R.pdf
- 46. Canadian Guideline for Safe and Effective Use of Opioids for CNCP Part B. CAGE Questionnaire. Accessed online 21Sep18 at <a href="http://nationalpaincentre.mcmaster.ca/documents/cage">http://nationalpaincentre.mcmaster.ca/documents/cage</a> questionnaire.pdf
- 47. Winstock AR, Ford C, Witton J. Assessment and management of cannabis use disorders in primary care. BMJ. 2010 Apr 1;340:c1571.
- 48. Spithoff S, Kahan M. Cannabis and Canadian youth: evidence, not ideology. Can Fam Physician. 2014 Sep;60(9):785-7, 793-5.
- 49. Sabioni P, Le Foll B. Psychosocial and pharmacological interventions for the treatment of cannabis use disorder. F1000Res. 2018 Feb 12;7:173.
- 50. De Aquino JP, Sherif M, Radhakrishnan R, Cahill JD, Ranganathan M, D'Souza DC. The Psychiatric Consequences of Cannabinoids. Clin Ther. 2018 Apr 17. pii: S0149-2918(18)30106-1.
- 51. Canadian Centre on Substance Use and Addiction. Cannabis Canadian Drug Summary. 2018 Jun. Accessed online 04 Sept 2018 at <a href="http://www.ccsa.ca/Resource%20Library/CCSA-Canadian-Drug-Summary-Cannabis-2018-en.pdf">http://www.ccsa.ca/Resource%20Library/CCSA-Canadian-Drug-Summary-Cannabis-2018-en.pdf</a>
- 52. Kalk NJ, Boyd A, Strang J, Finch E. Spice and all things nasty: the challenge of synthetic cannabinoids. BMJ (Clinical research ed.). 2016 Oct 24;355:i5639.
- 53. Miller et al. Marijuana Addictive Disorders and DSM-5 Substance-Related Disorders. J Addict Res Ther. January 2017 S11 013. Available from https://www.researchgate.net/publication/315959756 Marijuana Addictive Disorders and DSM-5 Substance-Related Disorders

- 54. ElSohly MA, Mehmedic Z, Foster S, Gon C, Chandra S, Church JC. Changes in cannabis potency over the last 2 decades (1995–2014): analysis of current data in the United States. Biological psychiatry. 2016 Apr 1;79(7):613-9.
- 55. Hels T, Lyckegaard A, Simonsen KW, Steentoft A, Bernhoft IM. Risk of severe driver injury by driving with psychoactive substances. Accident Analysis & Prevention. 2013 Oct 1:59:346-56.
- 56. College of Physician and Surgeons of Saskatchewan. Medical Cannaibs. Accessed from <a href="http://www.cps.sk.ca/imis/CPSS/CPSS/Programs">http://www.cps.sk.ca/imis/CPSS/CPSS/Programs</a> and Services/Medical Marijuana/Medical Cannabis.aspx on October 10, 2018.
- 57. Frank B, Serpell MG, Hughes J, Matthews JN, Kapur D. Comparison of analgesic effects and patient tolerability of nabilone and dihydrocodeine for chronic neuropathic pain: randomised, crossover, double blind study. BMJ. 2008 Jan 26;336(7637):199-201.
- 58. Nielsen S, Sabioni P, Trigo JM, Ware MA, Betz-Stablein BD, Murnion B, Lintzeris N, Khor KE, Farrell M, Smith A, Le Foll B. Opioid-Sparing Effect of Cannabinoids: A Systematic Review and Meta-Analysis. Neuropsychopharmacology. 2017 Aug;42(9):1752-1765.
- 59. Campbell G, Hall WD, Peacock A, Lintzeris N, Bruno R, Larance B, Nielsen S, Cohen M, Chan G, Mattick RP, Blyth F, Shanahan M, Dobbins T, Farrell M, Degenhardt L. Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. Lancet Public Health. 2018 Jul;3(7):e341-e350.
- 60. Corroon JM Jr, Mischley LK, Sexton M. Cannabis as a substitute for prescription drugs a cross-sectional study. J Pain Res. 2017 May 2;10:989-998.
- 61. Lucas P et al. Medical cannabis access, use, and substitution for prescription opioids and other substances: A survey of authorized medical cannabis patients. Int J Drug Policy. 2017;42:30-35.
- 62. Boehnke, K. F., E. Litinas, and D. J. Clauw. 2016. Medical cannabis use is associated with decreased opiate medication use in a retrospective cross-sectional survey of patients with chronic pain. Journal of Pain 17(6):739–744.
- 63. https://www.theglobeandmail.com/canada/british-columbia/article-number-of-veterans-using-opioids-declines-significantly-as-cannabis/
- 64. Bradford AC. et al. Medical Marijuana Laws Reduce Prescription Medication Use In Medicare Part D. Health Aff (Millwood). 2016 Jul 1;35(7):1230-6. doi: 10.1377/hlthaff.2015.1661
- 65. Ashley C et al. Association between US state medical cannabis laws and opioid prescribing in the Medicare Part D population. JAMA Intern Med. 2018;178(5):667-672.
- 66. Bachhuber MA, Saloner B, Cunningham CO, Barry CL. Medical Cannabis Laws and Opioid Analgesic Overdose Mortality in the United States, 1999–2010. JAMA internal medicine. 2014;174(10):1668-1673. doi:10.1001/jamainternmed.2014.4005.
- 67. Wang GS, Roosevelt G, Heard K. Pediatric marijuana exposures in a medical marijuana state. JAMA Pediatr. 2013 Jul;167(7):630-3.
- 68. Wade DT, Collin C, Stott C, Duncombe P. Meta-analysis of the effcacy and safety of Sativex (nabiximols), on spasticity in people with multiple sclerosis. Mult Scler 2010;16(6):707-14.
- 69. Ridgeway G, Kilmer B. Bayesian inference for the distribution of grams of marijuana in a joint. Drug and alcohol dependence. 2016 Aug 1;165:175-80.
- 70. Christiani DC. Vaping-Induced Lung Injury. N Engl J Med. 2019 Sep 6.
- 71. Cannabis and Cannabinoids. The Medical Letter. Nov 2019.
- 72. https://www150.statcan.gc.ca/n1/daily-quotidien/191009/dq191009a-eng.htm
- 73. King BA, Jones CM, Baldwin GT, Briss PA. The EVALI and Youth Vaping Epidemics Implications for Public Health. N Engl J Med. 2020 Jan 17. doi: 10.1056/NEJMp1916171.
- 74. Fontanella CA, Steelesmith DL, Brock G, Bridge JA, Campo JV, Fristad MA. Association of Cannabis Use With Self-harm and Mortality Risk Among Youths With Mood Disorders. JAMA Pediatr. 2021 Jan 19.
- 75. Velayudhan L, McGoohan K, Bhattacharyya S. Safety and tolerability of natural and synthetic cannabinoids in adults aged over 50 years: A systematic review and meta-analysis. PLoS Med. 2021 Mar 29;18(3):e1003524.
- 76. Leung J, Chan GCK, Hides L, Hall WD. What is the prevalence and risk of cannabis use disorders among people who use cannabis? a systematic review and meta-analysis. Addict Behav. 2020;109:106479.
- 77. Keethakumar, A., Mehra, V.M., Khanlou, N. et al. Cannabis use and patterns among middle and older aged Canadians prior to legalization: a sex-specific analysis of the Canadian Tobacco, Alcohol and Drugs Survey. BMC Public Health 21, 26 (2021). https://doi.org/10.1186/s12889-020-10074-z
- 78. Johal H, Devji T, Chang Y, Simone J, Vannabouathong C, Bhandari M. Cannabinoids in Chronic Non-Cancer Pain: A Systematic Review and Meta-Analysis. Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders. January 2020. doi:10.1177/1179544120906461
- 79. Poster: Wang L, Kaushal A, Craigie S, May C, et al. Medical Cannabis for Chronic Non Cancer Pain: A Systematic Review of Randomized Control Trials. Accessed online 24 May 2021 at <a href="https://cannabisresearch.mcmaster.ca/docs/default-source/conference-2018-posters/cannabis-for-chronic-pain---02feb2018">https://cannabisresearch.mcmaster.ca/docs/default-source/conference-2018-posters/cannabis-for-chronic-pain---02feb2018</a> final---jason-busse.pdf?sfvrsn=9ae3d482 2
- 80. Hjorthøj C, Posselt CM, Nordentoft M. Development Over Time of the Population-Attributable Risk Fraction for Cannabis Use Disorder in Schizophrenia in Denmark. JAMA Psychiatry. 2021 Jul 21. doi:10.1001/jamapsychiatry.2021.1471. Epub ahead of print. PMID: 34287621.
- 81. Ladha KS, Mistry N, Wijeysundera DN, et al. Recent cannabis use and myocardial infarction in young adults: a cross-sectional study. CMAJ. 2021 Sep 7;193(35):E1377-E1384.
- 82. Velayudhan L, McGoohan KL, Bhattacharyya S. Evaluation of THC-Related Neuropsychiatric Symptoms Among Adults Aged 50 Years and Older: A Systematic Review and Metaregression Analysis. JAMA Netw Open. 2021 Feb 1;4(2):e2035913.

- 83. Marchand G, Masoud AT, Govindan M, et al. Birth Outcomes of Neonates Exposed to Marijuana in Utero: A Systematic Review and Meta-analysis. JAMA Netw Open. 2022 Jan 4;5(1):e2145653.
- 84. Sazegar P. Cannabis Essentials: Tools for Clinical Practice. Am Fam Physician. 2021 Dec 1;104(6):598-608.
- 85. Health Canada. **Canadian Cannabis Survey 2021: Summary**. Available from <a href="https://www.canada.ca/en/health-canada/news/2021/12/health-canada-releases-new-data-on-cannabis-use-in-canada.html">https://www.canada.ca/en/health-canada/news/2021/12/health-canada-releases-new-data-on-cannabis-use-in-canada.html</a>. Accessed May 24, 2022.
- 86. Shah S, Schwenk ES, Sondekoppam RV, et al. ASRA Pain Medicine consensus guidelines on the management of the perioperative patient on cannabis and cannabinoids. Reg Anesth Pain Med. 2023;0:1-12. doi:10.1136/rapm-2022-104013.
- 87. Bhaskar A, Bell A, Boivin M, et al. Consensus recommendations on dosing and administration of medical cannabis to treat chronic pain: results of a modified Delphi process. J Cannabis Res. 2021 Jul 2;3(1):22. doi: 10.1186/s42238-021-00073-1.

#### Additional references for Cannabinoids:

Abdallah FW, Hussain N, Weaver T, Brull R. Analgesic efficacy of cannabinoids for acute pain management after surgery: a systematic review and meta-analysis. Reg Anesth Pain Med. 2020;45(7):509-519.

Abrams DI, Couey P, Dixit N, et al. Effect of Inhaled Cannabis for Pain in Adults With Sickle Cell Disease: A Randomized Clinical Trial. JAMA Netw Open. 2020;3(7):e2010874.

Abuhasira R, Haviv YS, Leiba M, et al.. Cannabis is associated with **blood pressure reduction** in older adults - A 24-hours ambulatory blood pressure monitoring study. Eur J Intern Med. 2021 Jan 20:S0953-6205(21)00005-4 Adashi EY. Brief Commentary: Marijuana **Use During Gestation and Lactation**-Harmful Until Proved Safe. Ann Intern Med. 2019 Jan 8.

Adejumo AC, Flanagan R, Kuo B, Staller K. Relationship Between **Recreational Marijuana Use and Bowel Function** in a Nationwide Cohort Study. Am J Gastroenterol. 2019 Nov 22. doi: 10.14309/ajg.0000000000000000441. Agar M. Medicinal Cannabinoids in **Palliative Care**. Br J Clin Pharmacol. 2018 Jun 20.

Agrawal A, Rogers CE, Lessov-Schlaggar CN, et al. Alcohol, Cigarette, and Cannabis Use Between 2002 and 2016 in Pregnant Women From a Nationally Representative Sample. JAMA Pediatr. 2018 Nov 5.

Akturk HK et al. Association between cannabis use and **risk for diabetic ketoacidosis** in adults with type 1 diabetes. JAMA Intern Med 2018 Nov 5.

Akturk HK, Taylor DD, Camsari UM, et al. Association Between Cannabis Use and Risk for Diabetic Ketoacidosis in Adults With Type 1 Diabetes. JAMA Intern Med. 2018 Nov 5.

Albaugh MD, Ottino-Gonzalez J, Sidwell A, et al; IMAGEN Consortium. Association of Cannabis Use During Adolescence With Neurodevelopment. JAMA Psychiatry. 2021 Jun 16. doi: 10.1001/jamapsychiatry.2021.1258.

Allan GM, Finley CR, Ton J, et al. Systematic review of systematic reviews for medical cannabinoids: Pain, nausea and vomiting, spasticity, and harms. Can Fam Physician. 2018 Feb;64(2):e78-e94.

Allan GM, Ramji J, Perry D, et al. Simplified guideline for prescribing medical cannabinoids in primary care. Can Fam Physician. 2018 Feb;64(2):111-120.

Alvarez JC, Hartley S, Etting I, et al. Population **pharmacokinetic model of blood THC** and its metabolites in chronic and occasional cannabis users and relationship with on-site oral fluid testing. Br J Clin Pharmacol. 2021 Jan 2. doi: 10.1111/bcp.14724

Ananth P. Ma C. Al-Savegh H. et al. Provider Perspectives on Use of **Medical Marijuana in Children With Cancer**, Pediatrics, 2017 Dec 12.

Anderson DM, Hansen B, Rees DI, Sabia JJ. Association of Marijuana Laws With Teen Marijuana Use: New Estimates From the Youth Risk Behavior Surveys. JAMA Pediatr. 2019 Jul 8.

Anderson DM, Rees DI, Sabia JJ, Safford S. Association of Marijuana Legalization With Marijuana Use Among US High School Students, 1993-2019. JAMA Netw Open. 2021 Sep 1;4(9):e2124638.

Anderson SAR, Oprescu AM, Callelo D, et al. Neuropsychiatric Sequelae in Adolescents With Acute Synthetic Cannabinoid Toxicity. Pediatrics. 2019 Jul 8.

Arkell TR, Vinckenbosch F, Kevin RC, et al. Effect of Cannabidiol and Δ9-Tetrahydrocannabinol on **Driving Performance**: A Randomized Clinical Trial. JAMA. 2020 Dec 1;324(21):2177-2186

Arout CA, Haney M, Herrmann ES, et al. The dose-dependent analgesic effects, abuse liability, safety and tolerability of oral cannabidiol in healthy humans. Br J Clin Pharmacol. 2021 Jul 5. doi: 10.1111/bcp.14973

Arterberry BJ, Treloar Padovano H, Foster KT, et al. Higher average potency across the United States is associated with progression to first cannabis use disorder symptom. Drug Alcohol Depend. 2018 Dec 6.

Atieh J, Maselli D, Breen-Lyles M, et al. CANNABIDIOL FOR **FUNCTIONAL DYSPEPSIA** WITH NORMAL GASTRIC EMPTYING: A RANDOMIZED, CONTROLLED TRIAL. Am J Gastroenterol. 2022 May 9. doi: 10.14309/ajg.00000000001805.

Ayers JW, Caputi T, Leas EC. The Need for Federal Regulation of Marijuana Marketing. JAMA. 2019 May 16.

Bahii A, Brothers TD, Danilewitz M. Considering Cannabis Use in Differential Diagnosis: A Teachable Moment, JAMA Intern Med. 2021 Nov 29. doi: 10.1001/jamainternmed.2021.6901.

Bahji A, Stephenson C, Tyo R, et al. Prevalence of Cannabis Withdrawal Symptoms Among People With Regular or Dependent Use of Cannabinoids: A Systematic Review and Meta-analysis. JAMA Netw Open. 2020 Apr 1:3(4):e202370

Bajaj HS, Barnes T, Nagpal S, et al. **Diabetes Canada position statement on recreational cannabis** use in adults and adolescents with type 1 and type 2 diabetes. Can J Diabetes 2019 (accepted manuscript). doi: <a href="https://doi.org/10.1016/j.jcjd.2019.05.010">https://doi.org/10.1016/j.jcjd.2019.05.010</a>.

Baker T, Datta P, Rewers-Felkins K, Thompson H, Kallem RR, Hale TW. Transfer of inhaled cannabis into human breast milk. Obstet Gynecol. 2018;131:783-788.

Bao Y, Zhang H, Bruera E, et al. Medical Marijuana Legalization and Opioid- and Pain-Related Outcomes Among Patients Newly Diagnosed With Cancer Receiving Anticancer Treatment. JAMA Oncol. 2022 Dec 1. doi: 10.1001/jamaoncol.2022.5623.

Barnes MP. The case for medical cannabis-an essay by M P Barnes. BMJ. 2018 Jul 25;362:k3230.

Bednarek Z, Doremus JM, Stith SS. U.S. cannabis laws projected to cost generic and brand pharmaceutical firms billions. PLoS One. 2022 Aug 31;17(8):e0272492.

Benowitz NL. Managing Cannabis Use in Patients With Cardiovascular Disease. Can J Cardiol. 2019 Feb;35(2):138-141.

Bergmann KR, Broekhuizen K, Groeneveld GJ. Clinical trial simulations of the **interaction between cannabidiol and clobazam** and effect on drop-seizure frequency. Br J Clin Pharmacol. 2019 Oct 28. doi: 10.1111/bcp.14158. Bertrand KA, Hanan NJ, Honerkamp-Smith G, et al. Marijuana Use by **Breastfeeding** Mothers and Cannabinoid Concentrations in Breast Milk. Pediatrics. 2018 Sep;142(3), pii: e20181076.

Bhattacharyya S, Wilson R, et al. Effect of Cannabidiol on Medial Temporal, Midbrain, and Striatal Dysfunction in People at Clinical High Risk of Psychosis: A Randomized Clinical Trial. JAMA Psychiatry. 2018 Aug 29.

Bicket MC, Stone EM, McGinty EE. Use of Cannabis and Other Pain Treatments Among Adults With Chronic Pain in US States With Medical Cannabis Programs. JAMA Netw Open. 2023 Jan 3;6(1):e2249797.

Bidwell LC, Ellingson JM, Karoly HC, et al. Association of Naturalistic Administration of Cannabis Flower and Concentrates With Intoxication and Impairment. JAMA Psychiatry. 2020;e200927

Black JC, Amioka E, Iwanicki JL, et al. Evaluation of Cannabis Use Among US Adults During the COVID-19 Pandemic Within Different Legal Frameworks. JAMA Netw Open. 2022 Nov 1;5(11):e2240526

Black N, Stockings E, Campbell G, et al. Cannabinoids for the **treatment of mental disorders and symptoms** of mental disorders: a systematic review and meta-analysis. Lancet Psychiatry. 2019 Oct 25. doi: 10.1016/S2215-0366(19)30401-8.

Blount BC, Karwowski MP, Morel-Espinosa M, et al. Evaluation of Bronchoalveolar Lavage Fluid from Patients in an Outbreak of E-cigarette, or Vaping, Product Use-Associated Lung Injury - 10 States, August-October 2019.

MMWR Morb Mortal Wkly Rep. 2019 Nov 15;68(45):1040-1041.

Boehnke KF, Clauw DJ. Brief Commentary: Cannabinoid **Dosing for Chronic Pain** Management. Ann Intern Med. 2019 Jan 8.

Boehnke KF, Clauw DJ. Cannabinoids for Chronic Pain: Translating Systematic Review Findings Into Clinical Action. Ann Intern Med. 2022 Jun 7. doi: 10.7326/M22-1512.

Boehnke KF, Dean O, Haffaiee RL, Hosanagar A, U.S. Trends in Registration for Medical Cannabis and Reasons for Use From 2016 to 2020: An Observational Study. Ann Intern Med. 2022 Jun 14. doi: 10.7326/M22-0217.

Boehnke KF, Gangopadhyay S, Clauw DJ, et al. Qualifying Conditions Of Medical Cannabis License Holders In The United States. Health Aff (Millwood). 2019 Feb;38(2):295-302.

Bonomo Y, Souza JD, Jackson A, et al. Clinical issues in cannabis use. Br J Clin Pharmacol. 2018 Jul 2.

Bouquet, E, Pain, S, Eiden, C, et al. Adverse events of recreational cannabis use reported to the French addictovigilance network (2012-2017). Brit Jnl Clinical Pharma. 2021. doi: 10.1111/bcp.14812

Bourque J, Afzali MH, Conrod PJ. Association of Cannabis Use With Adolescent Psychotic Symptoms. JAMA Psychiatry. 2018 Jun 6.

Boykan R, Messina CR, Chateau G, et al. Self-Reported Use of Tobacco, E-cigarettes, and Marijuana Versus Urinary Biomarkers. Pediatrics. 2019 Apr 22

Bradford AC, Bradford WD, Abraham A, et al. Association between US state medical cannabis laws and opioid prescribing in the Medicare Part D population. JAMA Intern Med. Published online April 2, 2018

Brands B, Mann RE, Wickens CM, et al. Acute and residual effects of smoked cannabis: Impact on driving speed and lateral control, heart rate, and self-reported drug effects. Drug Alcohol Depend. 2019 Dec 1;205:107641.

Braun I, Tulsky J. Reconciling the Discrepancies in Medicine's Relationship to Medical Marijuana. Ann Intern Med. 2018 Oct 2.

Braun IM, Wright A, Peteet J, et al. Medical Oncologists' Beliefs, Practices, and Knowledge Regarding Marijuana Used Therapeutically: A Nationally Representative Survey Study. J Clin Oncol. 2018 May 10:JCO2017761221.

Braymiller JL, Barrington-Trimis JL, Leventhal AM, et al. Assessment of Nicotine and Cannabis Vaping and Respiratory Symptoms in Young Adults. JAMA Netw Open. 2020 Dec 1;3(12):e2030189

Briscoe J, Casarett D. Medical Marijuana Use in Older Adults. J Am Geriatr Soc. 2018 Apr 18.

Briscoe J, Kamal AH, Casarett DJ. Top Ten Tips Palliative Care Clinicians Should Know About Medical Cannabis. J Palliat Med. 2019 Jan 14.

Brown JD, Winterstein AG. Potential Adverse Drug Events and Drug-Drug Interactions with Medical and Consumer Cannabidiol (CBD) Use. J Clin Med. 2019 Jul 8;8(7).

Brubacher JR, Chan H, Erdelyi S, et al. Cannabis Legalization and Detection of Tetrahydrocannabinol in Injured Drivers. N Engl J Med. 2022 Jan 13;386(2):148-156.

Bryan AD, et al. Effect of Including Alcohol and Cannabis Content in a **Sexual Risk-Reduction Intervention** on the Incidence of **Sexually Transmitted Infections** in Adolescents: A Cluster Randomized Clinical Trial. JAMA Pediatr. 2018 Feb 12:e175621.

Burns MM, Toce MS. Pediatric cannabis use and cardiac complications. CMAJ. 2021 Nov 15;193(45):E1737

Busse JW, Vankrunkelsven P, Zeng L, et al. Medical cannabis or cannabinoids for chronic pain: a clinical practice guideline. BMJ. 2021 Sep 8;374:n2040.

Caputi TL. Medical marijuana, not miracle marijuana: Some well-publicized studies about medical marijuana don't pass a reality check. Addiction. 2019 Feb 11.

Caputi TL, Humphreys K. Medical Marijuana Users are More Likely to Use Prescription Drugs Medically and Nonmedically. J Addict Med. 2018 Jul/Aug;12(4):295-299.

Carley DW, Prasad B, Reid KJ, et al. Pharmacotherapy of Apnea by Cannabimimetic Enhancement, the PACE Clinical Trial: Effects of Dronabinol in Obstructive Sleep Apnea. Sleep. 2017 Nov 7.

Carver AE, Jorgensen J, Barberio MW, et al. A Pediatric Hospital Policy for Medical Marijuana Use. Pediatrics. 2020;e20194079

Catapano JS, Rumalla K, Srinivasan VM, et al. Cannabis Use and Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. Stroke. 2022 Feb;53(2):e42-e43.

Caulley L, Caplan B, Ross E. Medical Marijuana for Chronic Pain. N Engl J Med. 2018 Oct 18;379(16):1575-1577.

Cerdá M, Mauro C, Hamilton A, et al. Association Between Recreational Marijuana Legalization in the United States and Changes in Marijuana Use and Cannabis Use Disorder From 2008 to 2016. JAMA Psychiatry. 2019 Nov 13. doi:10.1001/jamapsychiatry.2019.3254.

Chadi N, Schroeder R, Jensen JW, Levy S. Association Between **Electronic Cigarette Use and Marijuana** Use Among Adolescents and Young Adults: A Systematic Review and Meta-analysis. JAMA Pediatr. 2019 Aug 12:e192574

Chaffee BW, Cheng J, Couch ET, et al. Adolescents' Substance Use and Physical Activity Before and During the COVID-19 Pandemic. JAMA Pediatr. 2021 May 3:e210541

Chou R, Wagner J, Ahmed AY, et al. Living Systematic Review on Cannabis and Other Plant-Based Treatments for Chronic Pain: 2022 Update. Comparative Effectiveness Review No. 250. (Prepared by Pacific Northwest Evidence-based Practice Center under Contract No. 75Q80120D00006.) AHRQ Publication No. 22-EHC042. Rockville, MD: Agency for Healthcare Research and Quality; September 2022.

Cohen PA, Sharfstein J. The Opportunity of CBD - Reforming the Law. N Engl J Med. 2019 Jun 12.

Colwill AC, Alton K, Bednarek PH, et al. Cannabinoids for Pain Control During Medical Abortion: A Randomized Controlled Trial. Obstet Gynecol. 2020;135(6):1289-1295.

Corsi DJ, Donelle J, Sucha E, et al. Maternal cannabis use in pregnancy and child neurodevelopmental outcomes. Nat Med. 2020;10.1038/s41591-020-1002-5.

Corsi DJ, Walsh L, Weiss D, et al. Association between self-reported prenatal cannabis use and maternal, perinatal, and neonatal outcomes [June 18, 2019]. JAMA. doi:10.1001/jama.2019.8734.

Crawford KA, Gardner JA, Meyer EA, et al. Current Marijuana Use and Alcohol Consumption Among Adults Following the Legalization of Nonmedical Retail Marijuana Sales - Colorado, 2015-2019. MMWR Morb Mortal Wkly Rep. 2021 Oct 29:70(43):1505-1508

Crescioli G, Lombardi N, Bettiol A, et al. Adverse events following Cannabis for medical use in Tuscany: an analysis of the Italian Phytovigilance database. Br J Clin Pharmacol. 2019 Oct 27. doi:10.1111/bcp.14140.

Crippa JAS, Zuardi AW, Guimarães FS, et al: (BONSAI) Trial Investigators. Efficacy and Safety of Cannabidiol Plus Standard Care vs Standard Care Alone for the **Treatment of Emotional Exhaustion and Burnout** Among Frontline Health Care Workers During the COVID-19 Pandemic: A Randomized Clinical Trial. JAMA Netw Open. 2021 Aug 2;4(8):e2120603

Crume TL, Juhl AL, Brooks-Russell A, et al. Cannabis Use During the Perinatal Period in a State With Legalized Recreational and Medical Marijuana: The Association Between Maternal Characteristics, **Breastfeeding** Patterns, and Neonatal Outcomes. J Pediatr. 2018 Jun;197:90-96.

Colizzi M, Murray R. Cannabis and psychosis: what do we know and what should we do? Br J Psychiatry. 2018 Apr;212(4):195-196.

Da Silva T, Hafizi S, Watts JJ, et al. In Vivo Imaging of Translocator Protein in Long-term Cannabis Users. JAMA Psychiatry. 2019 Sep 18.

Dahlgren MK, Sagar KA, Lambros AM, et al. Urinary Tetrahydrocannabinol After 4 Weeks of a Full-Spectrum, High-Cannabidiol Treatment in an Open-Label Clinical Trial. JAMA Psychiatry. 2020 Nov 4. doi: 10.1001/jamapsychiatry.2020.3567.

Dai H. Self-reported Marijuana Use in Electronic Cigarettes Among US Youth, 2017 to 2018. JAMA. 2019 Dec 17. doi: 10.1001/jama.2019.19571.

Dai H, Catley D, Richter KP, et al. Electronic Cigarettes and Future Marijuana Use: A Longitudinal Study. Pediatrics. 2018 Apr 23.

Dai H, Richter KP. A National Survey of Marijuana Use Among US Adults With Medical Conditions, 2016-2017. JAMA Netw Open. 2019 Sep 4;2(9):e1911936.

Damkier P, Lassen D, Christensen MMH, et al. Interaction between warfarin and cannabis. Basic Clin Pharmacol Toxicol. 2019 Jan;124(1):28-31.

Davis E, Lee T, Weber JT, Bugden S. Cannabis use in pregnancy and breastfeeding: The pharmacist's role. Can Pharm J (Ott). 2020 Jan 8;153(2):95-100

De Aquino JP, Sherif M, Radhakrishnan R, et al. The Psychiatric Consequences of Cannabinoids. Clin Ther. 2018 Apr 17.

DeFilippis EM, Singh A, Divakaran S, et al. Cocaine and Marijuana Use Among Young Adults With Myocardial Infarction. J Am Coll Cardiol. 2018 Jun 5;71(22):2540-2551.

Degenhardt L, Hungerford P, Nielsen S, et al. Pharmaceutical **Opioid Use Patterns and Indicators of Extramedical Use** and Harm in Adults With Chronic Noncancer Pain, 2012-2018. JAMA Netw Open. 2021 Apr 1:4(4):e213059.

De Gregorio D, McLaughlin RJ, Posa L, et al. Cannabidiol modulates serotonergic transmission and reverses both allodynia and anxiety-like behavior in a model of neuropathic pain. Pain. 2019 Jan;160(1):136-150.

Devinsky O, Patel AD, Cross JH, et al. Effect of Cannabidiol on Drop Seizures in the Lennox-Gastaut Syndrome. N Engl J Med. 2018 May 17;378(20):1888-1897.

Devinsky O, Patel AD, Thiele EA, et al. Randomized, dose-ranging safety trial of cannabidiol in Dravet syndrome. Neurology. 2018 Apr 3;90(14):e1204-e1211.

DeVylder JE, Mittal VA, Schiffman J. Balancing the Public Health Costs of Psychosis vs Mass Incarceration With the Legalization of Cannabis. JAMA Psychiatry. 2020 Sep 2. doi: 10.1001/jamapsychiatry.2020.2591.

Dharmapuri S, Miller K, Klein JD. Marijuana and the **Pediatric Population**. Pediatrics. 2020;

Di Forti M, Quattrone D, Freeman TP, et al. The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry. 2019 Mar 19.

Dickson B, Mansfield C, Guiahi M, et al. Recommendations From Cannabis Dispensaries About First-Trimester Cannabis Use. Obstet Gynecol. 2018 May 7.

Dilley JA, Graves JM, Brooks-Russell A, et al. Trends and Characteristics of Manufactured Cannabis Product and Cannabis Plant Product Exposures Reported to US Poison Control Centers, 2017-2019. JAMA Netw Open. 2021 May 3:4(5):e2110925.

Dilley JA, Richardson SM, Kilmer B, et al. Prevalence of Cannabis Use in Youths After Legalization in Washington State. JAMA Pediatr. 2018 Dec 19.

Doss MK et al. **A9-Tetrahydrocannibinol** at retrieval drives false recollection of neutral and emotional memories. Biol Psychiatry 2018 May 9.

Drummer OH, Gerostamoulos D, Woodford NW. Cannabis as a cause of death: A review. Forensic Sci Int. 2019 Mar 14;298:298-306.

Dryburgh LM, Bolan NS, Grof CPL, et al. Cannabis Contaminants - sources, distribution, human toxicity and pharmacologic effects. Br J Clin Pharmacol. 2018 Jun 28.

Duvall SW, Lindly O, Zuckerman K, et al. Ethical Implications for Providers Regarding Cannabis Use in Children With Autism Spectrum Disorders. Pediatrics. 2019 Jan 4.

Ebrahimi Kalan M, Jebai R, Bursac Z, et al. Trends and Factors Related to Blunt Use in Middle and High School Students, 2010-2020. Pediatrics. 2021 Jun 14:e2020028159.

Efron D, Freeman JL, Cranswick N, et al. A pilot randomised placebo-controlled trial of cannabidiol **to reduce severe behavioural problems** in children and adolescents with intellectual disability Br J Clin Pharmacol. 2020:10.1111/bcp.14399.

Elias DA, MacLaren VV, Hill-Elias R, Metcalfe AWS. Adherence to prescription guidelines for medical cannabis in disability claimants. Can Fam Physician. 2019 Aug;65(8):e339-e343.

Elser H, Humphreys K, Kiang MV, et al. State Cannabis Legalization and Psychosis-Related Health Care Utilization. JAMA Netw Open. 2023 Jan 3;6(1):e2252689.

**FDA** Sep/19: Tetrahydrocannabinol (THC)-containing **Vaping Products**: Vaping Illness- does not have enough data presently to conclude that Vitamin E acetate is the cause of the lung injury in these cases, the agency believes it is prudent to avoid inhaling this substance. Because consumers cannot be sure whether any THC vaping products may contain Vitamin E acetate, consumers are urged to avoid buying vaping products from the street, and to refrain from using THC oil or modifying/adding any substances to products purchased in stores. Additionally, no youth should be using any vaping product, regardless of the substance.

Ferland JN, Ellis RJ, Betts G, et al. Long-Term Outcomes of Adolescent THC Exposure on Translational Cognitive Measures in Adulthood in an Animal Model and Computational Assessment of Human Data. JAMA Psychiatry. 2022 Nov 23. doi: 10.1001/jamapsychiatry.2022.3915.

Fisher E, Eccleston C, Degenhardt L, et al. Cannabinoids, cannabis, and cannabis-based **medicine for pain management**: a protocol for an overview of systematic reviews and a systematic review of randomised controlled trials. Pain Rep. 2019 Apr 30;4(3):e741.

Fontanella CA, Steelesmith DL, Brock G, et al. Association of Cannabis Use With Self-harm and Mortality Risk Among Youths With Mood Disorders. JAMA Pediatr. 2021 Jan 19. doi: 10.1001/jamapediatrics.2020.5494 Freeman TP, Hindocha C, Green SF, Bloomfield MAP. Medicinal use of cannabis based products and cannabinoids. BMJ. 2019 Apr 4;365:11141.

Gedin F, Blomé S, Pontén M, et al. Placebo Response and Media Attention in Randomized Clinical **Trials Assessing Cannabis-Based Therapies** for Pain: A Systematic Review and Meta-analysis. JAMA Netw Open. 2022 Nov 1;5(11):e2243848.

Geissler KH, Kaizer K, Johnson JK, et al. Evaluation of Availability of Survey Data About Cannabis Use. JAMA Netw Open. 2020;3(6):e206039.

Ghasemiesfe M, Barrow B, Leonard S, et al. Association Between Marijuana Use and Risk of Cancer: A Systematic Review and Meta-analysis. JAMA Netw Open. 2019 Nov 1;2(11):e1916318.

Ghasemiesfe M, Ravi D, Vali M, et al. Marijuana Use, Respiratory Symptoms, and Pulmonary Function: A Systematic Review and Meta-analysis. Ann Intern Med. 2018 Jul 3.

Gillespie NA, Kendler KS. Use of Genetically Informed Methods to Clarify the Nature of the Association Between Cannabis Use and **Risk for Schizophrenia.** JAMA Psychiatry. 2020 Nov 4. doi: 10.1001/jamapsychiatry.2020.3564.

Gilman JM, Schmitt WA, Wheeler G, et al. Variation in Cannabinoid **Metabolites Present in the Urine** of Adults Using Medical Cannabis Products in Massachusetts. JAMA Netw Open. 2021 Apr 1;4(4):e215490 Gilman JM, Schuster RM, Potter KW, et al. Effect of Medical Marijuana Card Ownership on **Pain, Insomnia, and Affective Disorder Symptoms** in Adults: A Randomized Clinical Trial. JAMA Netw Open. 2022 Mar 1;5(3):e222106.

Gobbi G, Atkin T, Zytynski T, et al. Association of Cannabis Use in Adolescence and **Risk of Depression, Anxiety, and Suicidality in Young Adulthood**: A Systematic Review and Meta-analysis. JAMA Psychiatry. 2019 Feb 13. Good CB, Parekh N, Fischer K, et al. Brief Commentary: **Treating Pain**-The Cannabis Conundrum. Ann Intern Med. 2019 Jan 8.

Goodwin RD, Cheslack-Postava K, Santoscoy S, et al. Trends in Cannabis and Cigarette Use Among Parents With Children at Home: 2002 to 2015. Pediatrics. 2018 Jun;141(6).

Gorfinkel LR, Stohl M, Hasin D. Association of Depression With Past-Month Cannabis Use Among US Adults Aged 20 to 59 Years, 2005 to 2016. JAMA Netw Open. 2020;3(8):e2013802.

Gornall J. Big cannabis in the UK: is industry support for wider patient access motivated by promises of recreational market worth billions? BMJ. 2020 Mar 18;368:m1002

Gornall J. Tobacco cash behind cannabis research in Oxford. BMJ. 2020 Mar 18;368:m1044

Gostin LO, Hodge JG Jr, Wetter SA. Enforcing Federal Drug Laws in States Where Medical Marijuana Is Lawful. JAMA. 2018 Apr 10;319(14):1435-1436.

Groeneveld GJ, Martin JH. Parasitic pharmacology: A plausible mechanism of action for cannabidiol. Br J Clin Pharmacol. 2019 Jul 10.

Grof CPL. Cannabis, from plant to pill. Br J Clin Pharmacol. 2018 Apr 27.

Gulland A. Sixty seconds on . . . marijuana smoke. BMJ. 2018 Jan 9;360:k72.

Gunadi C, Shi Y. Association of Recreational Cannabis Legalization With Cannabis Possession Arrest Rates in the US. JAMA Netw Open. 2022 Dec 1;5(12):e2244922.

Haffajee RL, MacCoun RJ, Mello MM. Behind Schedule - Reconciling Federal and State Marijuana Policy. N Engl J Med. 2018 Jul 11.

Haleem A, Hwang YJ, Elton-Marshall T, et al. The longitudinal relationship between cannabis use and hypertension. Drug Alcohol Rev. 2021 Feb 28. doi: 10.1111/dar.13266

Hall W, Stjepanović D, Caulkins J, et al. Public health implications of legalising the production and sale of cannabis for medicinal and recreational use. Lancet. 2019 Oct 26;394(10208):1580-1590.

Han B, Compton WM, Einstein EB, Volkow ND. Associations of Suicidality Trends With Cannabis Use as a Function of Sex and Depression Status. JAMA Netw Open. 2021 Jun 1;4(6):e2113025.

Hawkes N. Daily and high potency cannabis are linked to higher rates of psychosis, study finds. BMJ. 2019 Mar 20;364:11290.

Heard K, Monte AA, Hoyte CO. Brief Commentary: Consequences of Marijuana: Observations From the Emergency Department. Ann Intern Med. 2019 Jan 8.

Hill KP. Medical Use of Cannabis in 2019. JAMA. 2019 Aug 9.

Hill KP, Saxon AJ. The role of cannabis legalization in the opioid crisis. Invited commentary. JAMA Intern Med. Published online April 2, 2018.

Hines LA, Freeman TP, Gage SH, et al. Association of High-Potency Cannabis Use With Mental Health and Substance Use in Adolescence. JAMA Psychiatry. 2020;e201035.

Hjorthøj C, Posselt CM, Nordentoft M. Development Over Time of the Population-Attributable Risk Fraction for Cannabis Use Disorder in Schizophrenia in Denmark. JAMA Psychiatry. 2021 Jul 21. doi:10.1001/jamapsychiatry.2021.1471.

Hsu G, Kovács B. Association between county level cannabis dispensary counts and opioid related mortality rates in the United States: panel data study. BMJ. 2021 Jan 27;372:m4957

Hswen Y, Brownstein JS, Real-Time Digital Surveillance of Vaping-Induced Pulmonary Disease. N Engl J Med. 2019 Sep 20.

Humphreys K, Saitz R. Should Physicians Recommend **Replacing Opioids With Cannabis**? JAMA. 2019 Feb 1.

Hurd YL, Spriggs S, Alishayev J, et al. Cannabidiol for the **Reduction of Cue-Induced Craving and Anxiety in Drug-Abstinent Individuals** With Heroin Use Disorder: A Double-Blind Randomized Placebo-Controlled Trial. Am J Psychiatry. 2019 May 21:appiajp201918101191

Hurley R. **Industry's plan to accelerate prescribing** of medical cannabis. BMJ. 2020 Mar 18;368:m1063.

IASP- International Association for the Study of Pain presidential task force on cannabis and cannabinoid analgesia position statement. Pain. 2021 Mar 16. doi: 10.1097/j.pain.0000000000002265

Ilnitsky S, Van Uum S. Marijuana and fertility. CMAJ. 2019 Jun 10;191(23):E638.

Ishida JH, Auer R, Vittinghoff E, et al. Marijuana Use and Estimated Glomerular Filtration Rate in Young Adults. Clin J Am Soc Nephrol. 2017 Oct 6;12(10):1578-1587.

Jansson LM, Jordan CJ, Velez ML. Perinatal Marijuana Use and the Developing Child. JAMA. 2018 Jul 16.

Jehangir A, Parkman HP, Cannabinoid Use in Patients With Gastroparesis and Related Disorders: Prevalence and Benefit. Am J Gastroenterol. 2019 Mar 8.

Jones HJ, Gage SH, Heron Jet al. Association of Combined Patterns of Tobacco and Cannabis Use in Adolescence With Psychotic Experiences. JAMA Psychiatry. 2018 Jan 17.

Kamboj A. Kamel T. Burbank M. et al. Severe chemical pneumonitis from tetrahydrocannabinol 'vaping' and 'dabbing'. Cleve Clin J Med. 2021 Feb 1:88(2):77-79.

Kamer RS, Warshafsky S, Kamer GC. Change in Traffic Fatality Rates in the First 4 States to Legalize Recreational Marijuana. JAMA Intern Med. 2020;e201769.

Karcher NR, Barch DM, Demers CH, et al. Genetic Predisposition vs Individual-Specific Processes in the Association Between Psychotic-like Experiences and Cannabis Use. JAMA Psychiatry. 2018 Oct 17.

Kaufman TM, Fazio S, Shapiro MD. Brief Commentary: Marijuana and Cardiovascular Disease-What Should We Tell Patients? Ann Intern Med. 2019 Jan 8.

Kelkar AH, Smith NA, Martial A, et al. An Outbreak of Synthetic Cannabinoid-Associated Coagulopathy in Illinois. N Engl J Med. 2018 Sep 27;379(13):1216-1223.

Kelsall D. Watching Canada's experiment with legal cannabis. CMAJ. 2018 Oct 15;190(41):E1218.

Kelly LE, Junker A. Considerations for clinical trials to study cannabinoids in Canadian children with neurologic disorders. CMAJ. 2018 Aug 27;190(34):E1002-E1003.

Keyhani S, Leonard S, Byers AL, et al. Association of a Positive Drug Screening for Cannabis With Mortality and Hospital Visits Among Veterans Affairs Enrollees Prescribed Opioids. JAMA Netw Open. 2022 Dec 1:5(12):e2247201.

Keyhani S, Steigerwald S, Ishida J, et al. Risks and Benefits of Marijuana Use: A National Survey of U.S. Adults. Ann Intern Med. 2018 Jul 24.

Khanji MY, Jensen MT, Kenawy AA, et al. Association Between Recreational Cannabis Use and Cardiac Structure and Function. JACC Cardiovasc Imaging. 2019 Dec 18. doi: 10.1016/j.jcmg.2019.10.012.

Kinney GL, Akturk HK, Taylor DD, et al. Cannabis Use Is Associated With Increased Risk for Diabetic Ketoacidosis in Adults With Type 1 Diabetes: Findings From the T1D Exchange Clinic Registry. Diabetes Care. 2019 Oct 18. doi: 10.2337/dc19-0365.

Knutzen KE, Moran MB, Soneji S. Combustible and Electronic Tobacco and Marijuana Products in Hip-Hop Music Videos, 2013-2017. JAMA Intern Med. 2018 Oct 15.

Ko JY, Coy KC, Haight SC, et al. Characteristics of Marijuana Use During Pregnancy - Eight States, Pregnancy Risk Assessment Monitoring System, 2017. MMWR Morb Mortal Wkly Rep. 2020;69(32):1058-1063.

Kocis P, Vrana K. Delta-9-Tetrahydrocannabinol and Cannabidiol Drug-Drug Interactions. Med Cannabis Cannabinoids 2020;3:61–73. DOI: 10.1159/000507998

Kossowsky J, Magane KM, Levy S, et al. Marijuana Use to Address Symptoms and Side Effects by Youth With Chronic Medical Conditions. Pediatrics. 2021;147(3):e2020021352

Kourouni I, Mourad B, Khouli H, et al. Critical Illness Secondary to Synthetic Cannabinoid Ingestion. JAMA Netw Open. 2020;3(7):e208516

Krishnan A, Agwu JC, Kallappa C, Pandey R. Development of central precocious puberty following cannabinoid use for paediatric epilepsy: causal or coincidence? BMJ Case Rep. 2021 Apr 15;14(4):e239678.

Kritikos AF, Pacula RL. Characterization of Cannabis Products Purchased for Medical Use in New York State. JAMA Netw Open. 2022 Aug 1;5(8):e2227735.

Kulak JA, Griswold KS. Adolescent Substance Use and Misuse: Recognition and Management Am Fam Physician. 2019 Jun 1;99(11): 689-696.

Lake S, Kerr T, Buxton J, et al. Does cannabis use modify the effect of **post-traumatic stress disorder on severe depression and suicidal ideation**? Evidence from a population-based cross-sectional study of Canadians. J Psychopharmacol. 2019 Nov 5:269881119882806.

Lake S, Walsh Z, Kerr T, et al. Frequency of cannabis and illicit opioid use among people who use drugs and report chronic pain: A longitudinal analysis. PLoS Med. 2019 Nov 19;16(11):e1002967.

Lanza HI, Barrington-Trimis JL, McConnell R, et al. Trajectories of Nicotine and Cannabis Vaping and Polyuse From Adolescence to Young Adulthood. JAMA Netw Open. 2020 Oct 1;3(10):e2019181 df Lavender I, McGregor IS, Suraev A, et al. Cannabinoids, insomnia, and other sleep disorders. Chest. 2022 May 7:S0012-3692(22)00895-9.

Lawson J, O'Brien T, Graham M, et al. Expert advice for prescribing cannabis medicines for **patients with epilepsy**-drawn from the Australian clinical experience. Br J Clin Pharmacol. 2022 Mar 8. doi: 10.1111/bcp.15262.

Lawson J. O Schoff T, Gianam Mr., et al. Expert advice for prescribing cannabis neutrines to patents with epilepsy-trawn from the Australian Chinical experience. Bi J Clin Finalmacol. 2022 Mai 6, uoi. 10.1111/bcp.1520

Lawson JA, Scheffer IE. Therapeutic use of medicinal cannabis in difficult to manage epilepsy. Br J Clin Pharmacol. 2018 Aug 7.

Leas EC, Hendrickson EM, Nobles AL, et al. Self-reported Cannabidiol (CBD) Use for Conditions With Proven Therapies. JAMA Netw Open. 2020 Oct 1;3(10):e2020977

Leas EC, Nobles AL, Caputi TL, et al. Trends in Internet Searches for Cannabidiol (CBD) in the United States. JAMA Netw Open. 2019 Oct 2;2(10):e1913853.

Lee JD, Schatz D, Hochman J. Cannabis and Heart Disease: Forward Into the Great Unknown? J Am Coll Cardiol. 2018 Jun 5;71(22):2552-2554.

Levy S, Weitzman ER. Acute Mental Health Symptoms in Adolescent Marijuana Users. JAMA Pediatr. 2018 Dec 17.

Li X, Vigil JM, Stith SS, et al. The effectiveness of self-directed medical cannabis treatment for pain. Complement Ther Med. 2019 Oct;46:123-130.

Lim CCW, Sun T, Leung J, et al. Prevalence of Adolescent Cannabis Vaping: A Systematic Review and Meta-analysis of US and Canadian Studies. JAMA Pediatr. 2021 Oct 25. doi: 10.1001/jamapediatrics.2021.4102.

Lin AL, Nah G, Tang JJ, et al. Cannabis, cocaine, methamphetamine, and opiates increase the risk of incident atrial fibrillation. Eur Heart J. 2022 Oct 18:ehac558.

Lintzeris N, Bhardwaj A, Mills L, et al; (ARCD) study group. Nabiximols for the Treatment of Cannabis Dependence: A Randomized Clinical Trial. JAMA Intern Med. 2019 Jul 15.

Lucas CJ, Galettis P, Schneider J. The Pharmacokinetics and the Pharmacodynamics of Cannabinoids. Br J Clin Pharmacol. 2018 Jul 12.

Lucas CJ, Galettis P, Song S, et al. Cannabinoid Disposition After Human Intraperitoneal Use: An Insight Into Intraperitoneal Pharmacokinetic Properties in Metastatic Cancer. Clin Ther. 2018 Jan 6.

Lucas P, Boyd S, Milloy MJ, Walsh Z. Reductions in alcohol use following medical cannabis initiation: results from a large cross-sectional survey of medical cannabis patients in Canada. Int J Drug Policy. 2020 Oct 14;86:102963

MacKillop J, Cooper A, Costello J. National **Retail Sales of Alcohol and Cannabis During the COVID-19 Pandemic** in Canada. JAMA Netw Open. 2021 Nov 1;4(11):e2133076. Madden K, Tanco K, Bruera E. Clinically Significant **Drug-Drug Interaction Between Methadone** and Cannabidiol. Pediatrics. 2020;145(6):e20193256.

Madras BK, Han B, Compton WM, et al. Associations of Parental Marijuana Use With Offspring Marijuana, Tobacco, and Alcohol Use and Opioid Misuse. JAMA Netw Open. 2019 Nov 1:2(11):e1916015

Mahase E. Medical cannabis: patients turn to private clinics because of NHS void. BMJ. 2019 Sep 2;366:15290.

Mahtta D, Ramsey D, Krittanawong C, et al. Recreational substance use among patients with premature atherosclerotic cardiovascular disease. Heart. 2021 Apr;107(8):650-656

Marchand G, Masoud AT, Govindan M, et al. Birth Outcomes of Neonates Exposed to Marijuana in Utero: A Systematic Review and Meta-analysis. JAMA Netw Open. 2022 Jan 4;5(1):e2145653.

Marcotte TD, Umlauf A, Grelotti DJ, et al. Driving Performance and Cannabis Users' Perception of Safety: A Randomized Clinical Trial. JAMA Psychiatry. 2022 Jan 26. doi: 10.1001/jamapsychiatry.2021.4037.

Martin JH, Cranswick N. Care and concern with cannabinoids used therapeutically. Br J Clin Pharmacol. 2018 Aug 22.

Martin JH, Talley NJ. Cannabinoid use in practice in Australasia – better guidance and new drug information systems will be essential for prescribers. Br J Clin Pharmacol. 2019 Apr 13.

Matson TE, Carrell DS, Bobb JF, et al. Prevalence of Medical Cannabis Use and Associated Health Conditions Documented in Electronic Health Records Among Primary Care Patients in Washington State. JAMA Netw Open. 2021 May 3;4(5):e219375

Matson TE, Lapham GT, Bobb JF, et al. Validity of the Single-Item Screen-Cannabis (SIS-C) for Cannabis Use Disorder Screening in Routine Care. JAMA Netw Open. 2022 Nov 1;5(11):e2239772.

Matthay EC, Kiang MV, Elser H, et al. Evaluation of State Cannabis Laws and Rates of Self-harm and Assault. JAMA Netw Open, 2021 Mar 1:4(3):e211955.

Maxwell CJ, Jesdale BM, Lapane KL. Recent Trends in Cannabis Use in Older Americans. Ann Intern Med. 2021 Jan;174(1):133-135

McBrien H, Luo C, Sanger N, et al. Cannabis use during methadone maintenance treatment for opioid use disorder: a systematic review and meta-analysis. CMAJ Open. 2019 Nov 19;7(4):E665-E673.

McCabe SE, Arterberry BJ, Dickinson K, et al. Assessment of Changes in Alcohol and Marijuana **Abstinence**, **Co-Use**, **and Use Disorders** Among US Young Adults From 2002 to 2018. JAMA Pediatr. 2020 Oct 12. doi: 10.1001/jamapediatrics.2020.3352

McCallum RW, Bashashati M. Cannabis for Gastroparesis: Hype or Hope? Am J Gastroenterol. 2019 May 24.

McDonagh MS, Morasco BJ, Wagner J, et al. Cannabis-Based **Products for Chronic Pain**: A Systematic Review. Ann Intern Med. 2022 Jun 7. doi: 10.7326/M21-4520.

McGuire P, Robson P, Cubala WJ, et al. Cannabidiol (CBD) as an Adjunctive Therapy in Schizophrenia: A Multicenter Randomized Controlled Trial. Am J Psychiatry. 2018 Mar 1;175(3):225-231.

Meacher M, Nutt D, Liebling J, et al. Should the supply of cannabis be legalised now? BMJ. 2019 Jul 3;366:14473.

Meehan-Atrash J, Korzun T, Ziegler A. Cannabis Inhalation and Voice Disorders: A Systematic Review. JAMA Otolaryngol Head Neck Surg. 2019 Aug 8.

Meier MH, Caspi A, R Knodt A, et al. Long-Term Cannabis Use and Cognitive Reserves and Hippocampal Volume in Midlife. Am J Psychiatry. 2022 Mar 8:appiajp202121060664

Meier MH, Docherty M, Leischow SJ, Pardini D. Cannabis concentrate use in adolescents. Pediatrics. 2019;144(3): e20190338.

Meinhofer A, Hinde JM, Keyes KM, Lugo-Candelas C. Association of Comorbid Behavioral and Medical Conditions With Cannabis Use Disorder in Pregnancy. JAMA Psychiatry. 2021 Nov 3. doi: 10.1001/jamapsychiatry.2021.3193.

Meng H, Johnston B, Englesakis M, et al. Selective Cannabinoids for Chronic Neuropathic Pain: A Systematic Review and Meta-analysis. Anesth Analg. 2017 Nov;125(5):1638-1652.

Merlin JS, Althouse A, Feldman R, et al. Analysis of State Cannabis Laws and Dispensary Staff Recommendations to Adults Purchasing Medical Cannabis. JAMA Netw Open. 2021 Sep 1;4(9):e2124511.

Miech R, Johnston L, O'Malley PM, et al. Trends in Adolescent Vaping, 2017-2019. N Engl J Med. 2019 Sep 18.

Miech RA, Patrick ME, O'Malley PM, et al. Trends in Reported Marijuana Vaping Among US Adolescents, 2017-2019. JAMA. 2019 Dec 17. doi:10.1001/jama.2019.20185.

Minerbi A, Häuser W, Fitzcharles MA. Medical Cannabis for Older Patients. Drugs Aging. 2019 Jan;36(1):39-51.

Minichino A, Senior M, Brondino N, et al. Measuring Disturbance of the Endocannabinoid System in Psychosis: A Systematic Review and Meta-analysis. JAMA Psychiatry. 2019 Jun 5.

Mongeau-Pérusse V, Brissette S, Bruneau J, et al. Cannabidiol as a treatment for craving and relapse in individuals with cocaine use disorder: a randomized placebo-controlled trial. Addiction. 2021 Sep;116(9):2431-2442.

Monte AA, Shelton SK, Mills E, et al. Acute Illness Associated With Cannabis Use, by Route of Exposure: An Observational Study. Ann Intern Med. 2019 Mar 26.

Moore BF, Sauder KA, Shapiro ALB, et al Fetal Exposure to Cannabis and Childhood Metabolic Outcomes: The Healthy Start Study. J Clin Endocrinol Metab. 2022 Mar 31:dgac101.

Moreno MA, Gower AD, Jenkins MC, et al. Social Media Posts by Recreational Marijuana Companies and Administrative Code Regulations in Washington State. JAMA Netw Open. 2018;1(7):e182242.

Morris NP. Educating Physicians About Marijuana. JAMA Intern Med. 2019 Jun 3.

Mucke M, Phillips T, Radbruch L, et al. Cannabis-based medicines for chronic neuropathic pain in adults. Cochrane Database Syst Rev. 2018 Mar 7;3:CD012182. The potential benefits of cannabis-based medicine (herbal cannabis, plant-derived or synthetic THC, THC/CBD oromucosal spray) in chronic neuropathic pain might be outweighed by their potential harms. The quality of evidence for pain relief outcomes reflects the exclusion of participants with a history of substance abuse and other significant comorbidities from the studies, together with their small sample sizes.

Mudan A, DeRoos F, Perrone J. Medical Marijuana Miscalculation. N Engl J Med. 2019 Sep 12;381(11):1086-1087.

Mull ES, Erdem G, Nicol K, et al. Eosinophilic Pneumonia and Lymphadenopathy Associated With Vaping and Tetrahydrocannabinol Use. Pediatrics. 2020 Mar 26. pii: e20193007. doi: 10.1542/peds.2019-3007

Murray RM, Hall W. Will Legalization and Commercialization of Cannabis Use Increase the Incidence and Prevalence of Psychosis? JAMA Psychiatry. 2020 Apr 8. doi: 10.1001/jamapsychiatry.2020.0339

Murtha L, Sathiadoss P, Salameh JP, et al. Chest CT Findings in Marijuana Smokers. Radiology. 2022 Nov 15:212611

Myran DT, Cantor N, Finkelstein Y, et al. Unintentional Pediatric Cannabis Exposures After Legalization of Recreational Cannabis in Canada. JAMA Netw Open. 2022 Jan 4;5(1):e2142521.

Myran DT, Roberts R, Pugliese M, et al. Changes in **Emergency Department Visits for Cannabis Hyperemesis Syndrome** Following Recreational Cannabis Legalization and Subsequent Commercialization in Ontario, Canada. JAMA Netw Open. 2022 Sep 1;5(9):e2231937.

Myran DT, Staykov E, Cantor N, et al. How has access to legal cannabis changed over time? An analysis of the cannabis retail market in Canada 2 years following the legalisation of recreational cannabis. Drug Alcohol Rev. 2021 Jul 12. doi: 10.1111/dar.13351

Naftali T, Bar-Lev Schleider L, Scklerovsky Benjaminov F, et al. Cannabis is associated with clinical but not endoscopic remission in ulcerative colitis: A randomized controlled trial. PLoS One. 2021 Feb 11;16(2):e0246871.

Nassan FL, Arvizu M, Mínguez-Alarcón L, et al. Marijuana smoking and markers of testicular function among men from a fertility centre. Hum Reprod. 2019 Feb 6.

Nemer L, Lara LF, Hinton A, et al. Impact of Recreational Cannabis Legalization on Hospitalizations for Hyperemesis. Am J Gastroenterol. 2021 Mar 1;116(3):609-612

Newton-Howes G. The challenges of 'medical cannabis' and mental health: a clinical perspective. Br J Clin Pharmacol. 2018 Jun 20.

Ng JY, Gilotra K, Usman S, et al. Attitudes toward medical cannabis among family physicians practising in Ontario, Canada: a qualitative research study. CMAJ Open. 2021 Apr 13;9(2):E342-E348.

Ngueta G, Ndjaboue R. Lifetime marijuana use in relation to insulin resistance in lean, overweight, and obese US adults. J Diabetes. 2019 Jun 1.

Nguyen HV, Mital S. Changes in Youth Cannabis Use After an Increase in Cannabis Minimum Legal Age in Quebec, Canada. JAMA Netw Open. 2022 Jun 1;5(6):e2217648.

Nguyen PK, Hammond SK. Fine Particulate Matter Exposure From Secondhand Cannabis Bong Smoking. JAMA Netw Open. 2022 Mar 1;5(3):e224744.

Nielsen S, Gowing L, Sabioni P, et al. Pharmacotherapies for cannabis dependence. Cochrane Database Syst Rev. 2019 Jan 28;1:CD008940. There is incomplete evidence for all of the pharmacotherapies investigated, and for many outcomes the quality of the evidence was low or very low. Findings indicate that SSRI antidepressants, mixed action antidepressants, bupropion, buspirone and atomoxetine are probably of little value in the treatment of cannabis dependence. Given the limited evidence of efficacy, THC preparations should be considered still experimental, with some positive effects on withdrawal symptoms and craving. The evidence base for the anticonvulsant gabapentin, oxytocin, and N-acetylcysteine is weak, but these medications are also worth further investigation.

Nightingale TE, Tejpar T, O'Connell C, Krassioukov AV. Using Cannabis to Control Blood Pressure After Spinal Cord Injury: A Case Report. Ann Intern Med. 2020;10.7326/L20-0090.

Nutt D. Why medical cannabis is still **out of patients' reach**-an essay by David Nutt. BMJ. 2019 May 1:365:11903

O'Brien TJ, Berkovic SF, French JA, et al; STAR 1/STAR 2 Study Group. Adjunctive Transdermal Cannabidiol for Adults With Focal Epilepsy: A Randomized Clinical Trial. JAMA Netw Open. 2022 Jul 1;5(7):e2220189.

Odani S, Soura BD, Tynan MA, et al. Tobacco and Marijuana Use Among US College and Noncollege Young Adults, 2002-2016. Pediatrics. 2019 Nov 11. doi: 10.1542/peds.2019-1372.

Orozco FR, Lin M, Hur K. Cannabis Use and Sinonasal Symptoms in US Adults. JAMA Otolaryngol Head Neck Surg. 2022 Jul 28 e222001.

Page RL 2nd, Allen LA, Kloner RA, et al. Medical Marijuana, Recreational Cannabis, and Cardiovascular Health: A Scientific Statement From the American Heart Association. Circulation. 2020;CIR0000000000000883.

Paul SE, Hatoum AS, Fine JD, et al. Associations Between **Prenatal Cannabis Exposure** and Childhood Outcomes: Results From the ABCD Study. JAMA Psychiatry. 2020 Sep 23. doi: 10.1001/jamapsychiatry.2020.2902. Paige KJ, Colder CR. Long-Term Effects of Early **Adolescent Marijuana Use on Attentional and Inhibitory Control**. J Stud Alcohol Drugs. 2020 Mar;81(2):164-172

Parihar V, Beazely MA, Katz L, et al. Assessing the impact of a cannabis course on pharmacy students' understanding, beliefs and preparedness regarding medical and recreational cannabis. Can Pharm J (Ott), 2021 Sep

3;155(1):50-59.

Patel RS, Manocha P, Patel J, et al. Cannabis Use Is an Independent **Predictor for Acute Myocardial Infarction** Related Hospitalization in Younger Population. J Adolesc Health. 2019 Oct 11. doi:10.1016/j.jadohealth.2019.07.024. Patrick ME, Miech RA, Kloska DD, et al. Trends in Marijuana **Vaping and Edible Consumption** From 2015 to 2018 Among Adolescents in the US. JAMA Pediatr. 2020 Apr 6. doi: 10.1001/jamapediatrics.2020.0175.

Peball M, Krismer F, Knaus HG, et al. Non-motor symptoms in Parkinson's disease are reduced by nabilone. Ann Neurol. 2020;10.1002/ana.25864.

Pergam SA et al. Cannabis use among patients at a comprehensive cancer center in a state with legalized medicinal and recreational use. Cancer 2017 Nov 15; 123:4488.

Peters EN, Bae D, Barrington-Trimis JL, et al. Prevalence and Sociodemographic Correlates of Adolescent Use and Polyuse of Combustible, Vaporized, and Edible Cannabis Products. JAMA Netw Open. 2018;1(5):e182765.

Peters J, Chien J. Contemporary Routes of Cannabis Consumption: A Primer for Clinicians. J Am Osteopath Assoc. 2018 Feb 1;118(2):67-70.

Petrangelo A, Czuzoj-Shulman N, Balayla J, Abenhaim HA. Cannabis Abuse or Dependence During Pregnancy: A Population-Based Cohort Study on 12 Million Births. J Obstet Gynaecol Can. 2019 May;41(5):623-630.

Petrilli K, Ofori S, Hines L, et al. Association of cannabis potency with mental ill health and addiction: a systematic review. Lancet Psychiatry. 2022 Jul 25:S2215-0366(22)00161-4.

Plunk AD, Peglow SL, Harrell PT, Grucza RA. Youth and adult arrests for cannabis possession after decriminalization and legalization of cannabis [online June 17, 2019]. JAMA Pediatr. doi:10.1001/jamapediatrics.2019.1539

Purcell C, Davis A, Moolman N, Taylor SM (2019) Reduction of benzodiazepine use in patients prescribed medical cannabis, Cannabis and Cannabinoid Research 0:0, 1–5, DOI: 10.1089/can.2018.0020.

Purcell C, Davis A, Moolman N, Taylor SM. Reduction of Benzodiazepine Use in Patients Prescribed Medical Cannabis. Cannabis Canna

Quick CR, Conway KP, Swendsen J, et al. Comorbidity and Coaggregation of **Major Depressive Disorder and Bipolar Disorder** and Cannabis Use Disorder in a Controlled Family Study. JAMA Psychiatry. 2022 Jun 1. doi: 10.1001/jamapsychiatry.2022.1338

Ramaekers JG. Driving Under the Influence of Cannabis: An Increasing Public Health Concern. JAMA. 2018 Apr 10;319(14):1433-1434.

Ramar K. Rosen IM. Kirsch DB. et al. Medical Cannabis and the Treatment of **Obstructive Sleep Apnea**: An American Academy of Sleep Medicine Position Statement. J Clin Sleep Med. 2018 Mar 30.

Rasin A, Devgun JM, Nosal DG, et al. Coagulopathy After Synthetic Cannabinoid Use: A Case Report. Ann Intern Med. 2019 Aug 27.

Ravi D, Ghasemiesfe M, Korenstein D, et al. Associations Between Marijuana Use and Cardiovascular Risk Factors and Outcomes: A Systematic Review. Ann Intern Med. 2018 Jan 23.

Roh YS, Sutaria N, Biles NF, Kwatra SG. Treatment of Chronic Pruritus With Medical Marijuana. JAMA Dermatol. 2021 Apr 9. doi: 10.1001/jamadermatol.2021.1194

Ruberto AJ, Sivilotti MLA, Forrester S, et al. Intravenous Haloperidol Versus Ondansetron for Cannabis Hyperemesis Syndrome (HaVOC): A Randomized, Controlled Trial. Ann Emerg Med. 2020 Nov 5:S0196-0644(20)30666-1

Ruiz-Maldonado T M, Dorey A, Christensen E D, et al. Near-Fatal Spice Intoxication of a Toddler. Pediatrics. 2021 Jul 7:e2021050888

Ryan SA, Ammerman SD, O'Connor ME, et al. Marijuana Use During **Pregnancy and Breastfeeding**: Implications for Neonatal and Childhood Outcomes. Pediatrics. 2018 Sep;142(3).pii: e20181889.

Ryan SA. A Modern Conundrum for the Pediatrician: The Safety of Breast Milk and the Cannabis-Using Mother. Pediatrics. 2018 Sep;142(3). pii: e20181921.

Santaella-Tenorio J, Wheeler-Martin K, DiMaggio CJ, et al. Association of Recreational Cannabis Laws in Colorado and Washington State With Changes in Traffic Fatalities, 2005-2017. JAMA Intern Med. 2020;10.1001/jamainternmed.2020.1757.

Saunders A, Stevenson RS. Marijuana Lollipop-Induced Myocardial Infarction. Can J Cardiol. 2019 Feb;35(2):229.e1-229.e3.

Sazegar P. Cannabis Essentials: Tools for Clinical Practice. Am Fam Physician. 2021 Dec 1;104(6):598-608.

Scheffer IE, Hulihan J, Messenheimer J, et al. Safety and Tolerability of **Transdermal Cannabidiol Gel** in Children With Developmental and Epileptic Encephalopathies: A Nonrandomized Controlled Trial. JAMA Netw Open. 2021 Sep 1;4(9):e2123930.

Schleider LB, Abuhasira R, Novack V. Medical cannabis: aligning use to evidence-based medicine approach. Br J Clin Pharmacol. 2018 Jun 2.

Schuster RM, Gilman J, Schoenfeld D, et al. One Month of Cannabis Abstinence in Adolescents and Young Adults Is Associated With Improved Memory. J Clin Psychiatry, 2018 Oct 30:79(6).

Scott JC, Slomiak ST, Jones JD, et al. Association of Cannabis With Cognitive Functioning in Adolescents and Young Adults: A Systematic Review and Meta-analysis. JAMA Psychiatry. 2018 Apr 18.

Segura LE, Mauro CM, Levy NS, et al. Association of US Medical Marijuana Laws With Nonmedical Prescription Opioid Use and Prescription Opioid Use Disorder. JAMA Netw Open. 2019 Jul 3;2(7):e197216.

Seidel AK, Morgenstern M, Galimov A, et al. Use of electronic cigarettes as a predictor of cannabis experimentation: A longitudinal study among German youth. Nicotine Tob Res. 2021 Aug 12:ntab166

Sempio C, Huestis MA, Mikulich-Gilbertson SK, et al. **Population Pharmacokinetic Modeling** of Plasma Δ(9) -tetrahydrocannabinol and an Active and Inactive Metabolite Following Controlled Smoked Cannabis Administration. Br J Clin Pharmacol. 2019 Nov 20. doi:10.1111/bcp.14170.

Shah S, Schwenk ES, Sondekoppam RV, et al. ASRA **Pain Medicine consensus guidelines** on the management of the perioperative patient on cannabis and cannabinoids. Reg Anesth Pain Med. 2023 Jan 3:rapm-2022-104013. Sharma U. **Cannabis hyperemesis syndrome**. BMJ Case Rep. 2018 Oct 14;2018.

Sheikhan NY, Pinto AM, Nowak DA, et al. Compliance With Cannabis Act Regulations Regarding Online Promotion Among Canadian Commercial Cannabis-Licensed Firms. JAMA Netw Open. 2021 Jul 1;4(7):e2116551

Shi Y, Pacula RL. Assessment of Recreational Cannabis Dispensaries' Compliance With Underage Access and Marketing Restrictions in California. JAMA Pediatr. 2021 Aug 16. doi: 10.1001/jamapediatrics.2021.2508

Sihota A, Smith BK, Ahmed SA, et al. Consensus-based recommendations for titrating cannabinoids and tapering opioids for chronic pain control. Int J Clin Pract. 2020 Nov 28:e13871

Silver LD, Naprawa AZ, Padon AA. Assessment of Incorporation of Lessons From Tobacco Control in City and County Laws Regulating Legal Marijuana in California. JAMA Netw Open. 2020;3(6):e208393.

Skelton KR, Hecht AA, Benjamin-Neelon SE. Association of Recreational Cannabis Legalization With Maternal Cannabis Use in the Preconception, Prenatal, and Postpartum Periods. JAMA Netw Open. 2021 Feb 1;4(2):e210138

Socias ME, Choi J, Lake S, et al. Cannabis use is associated with **reduced risk of exposure to fentanyl** among people on opioid agonist therapy during a community-wide overdose crisis. Drug Alcohol Depend. 2020 Dec 9:108420 Sommer DM, Zipursky JS, Giannakeas V, et al. **Trends in the Medical Use** of Synthetic Cannabinoids Among Older Adults in Ontario, Canada. Ann Intern Med. 2020;10.7326/M20-0598.

Spindle TR, Cone EJ, Kuntz D, et al. Urinary Pharmacokinetic Profile of Cannabinoids Following Administration of Vaporized and Oral Cannabidiol and Vaporized CBD-Dominant Cannabis. J Anal Toxicol. 2019 Nov 4. doi: 10.1093/jat/bkz080.

Spindle TR, Cone EJ, Schlienz NJ, et al. Acute effects of smoked and vaporized cannabis in healthy adults who infrequently use cannabis: a crossover trial. JAMA Netw Open. 2018;1(7):e184841.

Spindle TR, Sholler DJ, Cone EJ, et al. Cannabinoid Content and Label Accuracy of Hemp-Derived Topical Products Available Online and at National Retail Stores. JAMA Netw Open. 2022 Jul 1;5(7):e2223019.Staples JA, Redelmeier DA. The April 20 Cannabis Celebration and Fatal Traffic Crashes in the United States. JAMA Intern Med. 2018 Feb 12.

Starzer MSK, Nordentoft M, et al. Rates and Predictors of Conversion to Schizophrenia or Bipolar Disorder Following Substance-Induced Psychosis. Am J Psychiatry. 2017 Nov 28:appiajp201717020223. (Cannabis etc...)

Steigerwald S, Wong PO, Cohen BE, et al. Smoking, Vaping, and Use of Edibles and Other Forms of Marijuana Among U.S. Adults. Ann Intern Med. 2018 Aug 28.

Steigerwald S, Wong PO, Cohen BE, et al. Smoking, Vaping, and Use of Edibles and Other Forms of Marijuana Among U.S. Adults. Ann Intern Med. 2018 Dec 18;169(12):890-892.

Stewart C, Fong Y. Perioperative Cannabis as a Potential Solution for Reducing Opioid and Benzodiazepine Dependence. JAMA Surg. 2020 Dec 2. doi: 10.1001/jamasurg.2020.5545

Stockings E, et al. Cannabis and cannabinoids for the treatment of people with **chronic noncancer pain conditions**: a systematic review and meta-analysis of controlled and observational studies. Pain. 2018 Oct;159(10):1932-1954.

Stockings E, Campbell G, Hall WD, et al. Cannabis and cannabinoids for the **treatment of people with chronic noncancer pain** conditions: a systematic review and meta-analysis of controlled and observational studies. Pain. 2018 Oct:159(10):1932-1954.

Stockings E, Zagic D, Campbell G, et al. Evidence for cannabis and cannabinoids for epilepsy: a systematic review of controlled and observational evidence. J Neurol Neurosurg Psychiatry. 2018 Mar 6.

Subbaraman MS, Metrik J, Patterson D, et al. Cannabis use during treatment for alcohol use disorders predicts alcohol treatment outcomes. Addiction. 2017 Apr;112(4):685-694.

Sun AJ. Eisenberg ML. Association Between Marijuana Use and Sexual Frequency in the United States: A Population-Based Study. J Sex Med. 2017 Nov:14(11):1342-1347.

Sun R, Mendez D, Warner KE. Evaluation of Self-reported Cannabis Vaping Among US Youth and Young Adults Who Use e-Cigarettes. JAMA Pediatr. 2022 Feb 7. doi: 10.1001/jamapediatrics.2021.6102.

Tan WC, Sin DD. What are the long-term effects of smoked marijuana on lung health? CMAJ. 2018 Oct 22;190(42):E1243-E1244.

Tashkin DP. Marijuana and Lung Disease. Chest. 2018 May 17.

Terry-McElrath YM, O'Malley PM, Patrick ME. Solitary Use of Alcohol and Marijuana by US 12th Grade Students, 1976-2019. JAMA Pediatr. 2020 Dec 21. doi: 10.1001/jamapediatrics.2020.5211

The Lancet Neurology. Clearing the haze around **medicinal cannabis**. Lancet Neurol. 2018 Mar;17(3):193.

Thiele EA, Bebin EM, Bhathal H, et al. Add-On Cannabidiol Treatment for Drug-Resistant Seizures in Tuberous Sclerosis Complex: A Placebo-Controlled Randomized Clinical Trial. JAMA Neurol. 2020 Dec 21. doi: 10.1001/jamaneurol.2020.4607

Thomas AA, Dickerson-Young T, Mazor S. Unintentional Pediatric Marijuana Exposures at a Tertiary Care Children's Hospital in Washington State: A Retrospective Review. Pediatr Emerg Care. 2018 Dec 27.

Tormohlen KN, Schneider KE, Johnson RM, et al. Changes in Prevalence of Marijuana Consumption Modes Among Colorado High School Students From 2015 to 2017. JAMA Pediatr. 2019 Aug 5.

Torres-Moreno MC, Papaseit E, Torrens M, et al. Assessment of Efficacy and Tolerability of Medicinal Cannabinoids in Patients With Multiple Sclerosis A Systematic Review and Meta-analysis. JAMA Netw Open.2018;1(6):e183485.

Trigo JM, et al. Nabiximols combined with motivational enhancement/cognitive behavioral therapy for the treatment of cannabis dependence: A pilot randomized clinical trial. PLoS One. 2018 Jan 31;13(1):e0190768. Trivers KF, Phillips E, Gentzke AS, et al. **Prevalence** of Cannabis Use in Electronic Cigarettes **Among US Youth**. JAMA Pediatr. 2018 Sep 17.

Tsai DH, Foster S, Baggio S, et al. Comparison of Water Pipes vs Other Modes of Cannabis Consumption and Subsequent Illicit Drug Use in a Longitudinal Cohort of Young Swiss Men. JAMA Netw Open. 2021 Apr 1:4(4):e213220

Twardowski MA, Link MM, Twardowski NM. Effects of Cannabis Use on Sedation Requirements for Endoscopic Procedures. J Am Osteopath Assoc. 2019 Apr 15. doi:10.7556/jaoa.2019.052.

Tweet MS, Nemanich A, Wahl M. Pediatric Edible Cannabis Exposures and Acute Toxicity: 2017-2021. Pediatrics. 2023 Jan 3:e2022057761

Udow SJ, Freitas ME, Fox SH, et al. Exacerbation of psychosis triggered by a synthetic cannabinoid in a 70-year-old woman with Parkinson disease. CMAJ. 2018 Jan 15;190(2):E50-E52.

Vaillancourt R. Dhalla R. Merks P. et al. Concerns, beliefs and attitudes of pharmacists and pharmacy students on cannabis use in Canada. Can Pharm J (Ott). 2022 Jun 15:155(4):219-229.

Vaillancourt R, Gallagher S, Cameron JD, Dhalla R. Cannabis use in patients with insomnia and sleep disorders: Retrospective chart review. Can Pharm J (Ott). 2022 Apr 15;155(3):175-180

van de Donk T, Niesters M, Kowal MA, et al. An experimental randomized study on the analgesic effects of pharmaceutical-grade cannabis in chronic pain patients with fibromyalgia. Pain. 2018 Dec 20.

VanDolah HJ, Bauer BA, Mauck KF. Clinicians' Guide to Cannabidiol and Hemp Oils. Mayo Clin Proc. 2019 Sep;94(9):1840-1851.

Vanstone M, Taneja S, Popoola A, et al. Reasons for cannabis use during pregnancy and lactation: a qualitative study. CMAJ. 2021 Dec 20;193(50):E1906-E1914.

Velayudhan L, McGoohan K, Bhattacharyya S. Safety and tolerability of natural and synthetic cannabinoids in adults aged over 50 years: A systematic review and meta-analysis. PLoS Med. 2021 Mar 29;18(3):e1003524.

Volkow ND, Baler R. Emergency Department Visits From Edible Versus Inhalable Cannabis. Ann Intern Med. 2019 Mar 26.

Volkow ND, Han B, Compton WM, McCance-Katz EF. Self-reported medical and nonmedical cannabis use among pregnant women in the United States [June 18, 2019]. JAMA. doi:10.1001/jama.2019.7982

Wakefield T, Glantz SA, Apollonio DE. Content Analysis of the Corporate Social Responsibility Practices of 9 Major Cannabis Companies in Canada and the US. JAMA Netw Open. 2022 Aug 1;5(8):e2228088

Wang GS, Buttorff C, Wilks A, et al. Changes in Emergency Department Encounters for Vomiting After Cannabis Legalization in Colorado. JAMA Netw Open. 2021 Sep 1;4(9):e2125063.

Wang L, Hong PJ, May C, et al. Medical cannabis or cannabinoids for chronic non-cancer and cancer related pain: a systematic review and meta-analysis of randomised clinical trials. BMJ. 2021 Sep 8;374:n1034.

Watson CV, Puvanesarajah S, Trivers KF. Racial and Ethnic Differences in Marijuana Use in e-Cigarettes Among US Youth in 2017, 2018, and 2020. JAMA Pediatr. 2021 Apr 26. doi: 10.1001/jamapediatrics.2021.0305.

Weizman L, Dayan L, Brill S, et al. Cannabis analgesia in chronic neuropathic pain is associated with altered brain connectivity. Neurology. 2018 Oct 2; 91(14):e1285-e1294.

Wen H, Hockenberry JM. Association of medical and adult-use marijuana laws with opioid prescribing for Medicaid enrollees. JAMA Intern Med. Published online April 2, 2018.

Whitehill JM, et al. Marijuana-using drivers, alcohol-using drivers, and their passengers: prevalence and risk factors among underage college students [online May 12, 2014]. JAMA Pediatr.

Whitehill JM, Dilley JA, Brooks-Russell A, et al. Edible Cannabis Exposures Among Children: 2017-2019. Pediatrics. 2021 Mar 22:e2020019893

Whitehill JM, Harrington C, Lang CJ, et al. Incidence of **Pediatric Cannabis Exposure** Among Children and Teenagers Aged 0 to 19 Years Before and After Medical Marijuana Legalization in Massachusetts. JAMA Netw Open. 2019 Aug 2;2(8):e199456.

Williams AR, Hill KP. Care of the Patient Using Cannabis. Ann Intern Med. 2020 Nov 3;173(9):ITC65-ITC80

Wills TA, Leventhal AM, Sargent JD, Pagano I, Concurrent Use of E-cigarettes, Combustible Cigarettes, and Marijuana. Pediatrics. 2021 Sep 28:e2021050749.

Wilson KM, Torok MR, Wei B, Wang L, Lowary M, Blount BC. Marijuana and Tobacco Coexposure in Hospitalized Children. Pediatrics. 2018 Nov 19.

Windle SB, Sequeira C, Filion KB, et al. Impaired driving and legalization of recreational cannabis. CMAJ. 2021 Apr 6;193(14):E481-E485

Wing C, Bradford AC, Carroll AE, Hollingsworth A. Association of State Marijuana Legalization Policies for Medical and Recreational Use With Vaping-Associated Lung Disease. JAMA Netw Open. 2020 Apr 1;3(4):e202187

Wymore EM, Palmer C, Wang GS, et al. Persistence of Δ-9-Tetrahydrocannabinol in Human Breast Milk. JAMA Pediatr. 2021 Mar 8. doi: 10.1001/jamapediatrics.2020.6098

Wynn Y, Spithoff S, Buchman DZ. Cannabis legislation provides an opportunity to strengthen **primary care substance use counseling**. Can Fam Physician. 2019 Nov;65(11):777-779.

Yang KH, Kaufmann CN, Nafsu R, et al. Cannabis: An Emerging Treatment for Common Symptoms in Older Adults. J Am Geriatr Soc. 2020 Oct 7. doi: 10.1111/jgs.16833

Yang YT, Szaflarski JP. The US Food and Drug Administration's Authorization of the First Cannabis-Derived Pharmaceutical: Are We Out of the Haze? JAMA Neurol. 2018 Nov 19.

Yeung MEM, Weaver CG, Hartmann R, et al. Emergency Department Pediatric Visits in Alberta for Cannabis After Legalization. Pediatrics. 2021 Sep 20:e2020045922

Young-Wolff KC, Adams SR, Padon A, et al. Association of Cannabis Retailer Proximity and Density With Cannabis **Use Among Pregnant Women** in Northern California After Legalization of Cannabis for Recreational Use. JAMA Netw Open. 2021 Mar 1;4(3):e210694

Young-Wolff KC, Foti TR, Green A, et al. Perceptions About Cannabis Following Legalization Among Pregnant Individuals With Prenatal Cannabis Use in California. JAMA Netw Open. 2022 Dec 1;5(12):e2246912.

Young-Wolff KC, Ray GT, Alexeeff SE, et al. Rates of Prenatal Cannabis Use Among Pregnant Women Before and During the COVID-19 Pandemic. JAMA. 2021 Sep 27. doi: 10.1001/jama.2021.16328.

Young-Wolff KC, Sarovar V, Tucker L-Y, et al. Self-reported daily, weekly, and monthly marijuana use among women before and during pregnancy. JAMA Netw Open. 2019;2(7):e196471. doi:10.1001/jamanetworkopen.2019.6471

Young-Wolff KC, Slama NE, Padon AA, et al. Geographic Accessibility of Retail Cannabis in Northern California and Prenatal Cannabis Use During the COVID-19 Pandemic. JAMA Netw Open. 2022 Nov 1;5(11):e2244086 Young-Wolff KC, Tucker LY, Alexeeff S, et al. Trends in Self-reported and Biochemically Tested Marijuana Use Among Pregnant Females in California From 2009-2016. JAMA. 2017 Dec 26;318(24):2490-2491.

Zhang H, Xie M, Archibald SD, et al. Association of Marijuana Use With Psychosocial and Quality of Life Outcomes Among Patients With Head and Neck Cancer. JAMA Otolaryngol Head Neck Surg. 2018 Aug 2.